




HIAB X-HIPRO 112E-3




457-1725/0

ADC	4150	2400	1680	1240	980
kg	3850	2220	1560	1140	900



HIAB X-HIPRO 112E-2




457-171310

ADC	4400	2520	1800	1340
-----	------	------	------	------

kg	4100	2340	1660	1240
----	------	------	------	------



HIAB X-HIPRO 112ES-5




457-171810

ADC	4250	2300	1500	1040	780	600	500
kg	3900	2120	1360	940	700	540	450



HIAB X-HIPRO 112ES-1



ADC	4900	2900	2040
------------	-------------	-------------	-------------

kg	4550	2680	1880
-----------	-------------	-------------	-------------

457-171710




HIAB X-HIPRO 112E-5

0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15m

17m

16
15
14
13
12
11
10
9
8
7
6
5
4
3
2
1
0
-1
-2
-3
-4




457-1715/0

ADC	3550	2040	1400	980	720	580	480
kg	3300	1880	1260	880	640	500	420



HIAB X-HIPRO 112E-4




457-1709/0

ADC	3800	2160	1500	1080	820	660
kg	3500	2000	1360	980	740	600



HIAB X-HIPRO 112E-1




ADC	4700	2660	1920
kg	4350	2480	1780

457-172110



HIAB X-HIPRO 112ES-3




ADC	4900	2600	1800	1300	1040
kg	4550	2400	1660	1200	940

457-1723/0



HIAB X-HIPRO 112ES-2




457-172710

ADC	4800	2740	1920	1420
-----	------	------	------	------

kg	4450	2540	1780	1300
----	------	------	------	------



HIAB X-HIPRO 112ES-4



457-1711/0