



HIAB eX.192 HI PRO

BASIC DATA
2024.06

HIAB eX.192 HIPRO




BASIC DATA

Technical data	eX.192 HIPRO E-3	eX.192 HIPRO E-5	eX.192 HIPRO E-6	eX.192 HIPRO ES-2
Mdyn (kNm)	214	215	216	213
Lifting capacity (ADC) (kNm)	172	163	160	177
Lifting capacity (ADC) (tm)	17.5	16.6	16.3	18.1
Outreach – lifting capacity, standard (m – kg)	3.3 – 5300	3.4 – 4900	3.4 – 4800	3.1 – 5800
	4.8 – 3650	4.9 – 3350	5.0 – 3200	4.4 – 4100
	6.6 – 2550	6.7 – 2320	6.8 – 2180	6.2 – 2900
	8.6 – 1920	8.7 – 1660	8.8 – 1540	8.2 – 2180
	10.6 – 1540	10.7 – 1300	10.8 – 1180	–
	–	12.8 – 1 040	12.9 – 930	–
	–	15.0 – 880	15.1 – 760	–
	–	–	17.4 – 650	–
Outreach – lifting capacity, manual extensions (m – kg)	12.8 – 1220	17.4 – 490	19.2 – 300	10.3 – 1660
Hydraulic outreach, standard (m)	10.8	15.2	17.5	8.3
Hydraulic boom extension (m)	6.0	10.3	12.6	3.9
Outreach, manual extensions (m)	12.9	17.5	19.3	10.5
Lifting height above installation level, hydr/man (m)	13.2 / 15.4	17.6 / 20.0	20.0 / 21.9	10.8 / 12.9
Rec. fixed oil flow (l/min)	70			
Rec. variable oil flow (l/min)	90 – 120			
Working pressure (Mpa)	34.5			
Tank capacity (l)	85 / 150			
Slewing angle (°)	415			
Max slope viable at full capacity (°)	5			
Slewing torque, gross (kNm)	28.3			
Slewing speed (°/s)	16			
Lifting speed at standard hydraulic outreach (m/s)	1.8	2.6	3.0	1.4
Height in folded position (mm)	2260		2 265	2 260
Width in folded position (mm)	2 485	2496		2485
Install space required with hose and pipe kit (mm)	965	965	965	865
Crane in standard version without stabiliser system (kg)	2095	2375	2495	1935
Frame attachments (kg)	40 – 65			
Stabiliser system equipment (kg)	271 – 428			

This table shows a few examples of models, and represents some of all options available. With the opportunity to configure your crane, we can provide you with a crane perfectly tailored to your needs.

Please contact your local dealer for more information on the variety of options we can offer.

HIAB eX.192 HIPRO E-5



Disclaimer. We reserve the right to make changes. Illustrations, drawings and data are not always in accordance with the latest version or standard model in production. The models in the pictures may present special equipment or colours.

BUILT TO PERFORM

Hiab is a leading provider of smart and sustainable load handling solutions. We are committed to delivering the best customer experience every day with the most engaged people and partners. Hiab's premium equipment includes HIAB, EFFER and ARGOS loader cranes, MOFFETT and PRINCETON truck mounted forklifts, LOGLIFT forestry cranes, JONSERED recycling cranes, MULTILIFT skiploaders and hooklifts, GALFAB roll-off cable hoists, and tail lifts under the ZEPRO, DEL and WALTCO brands. As the industry pioneer, Hiab continues to make load handling smarter, safer and more sustainable to build a better tomorrow. Hiab is part of Cargotec Corporation.

www.hiab.com

