




HIAB X-DUO 068D-1




456-3445/1



HIAB X-DUO 068DS-2

0 1 2 3 4 5 6 7 8m

10m



456-3471/1

ADC 2800

kg 2600

1660

1540

1160


1060

840

780



HIAB X-DUO 068D-4



456-3451/1




HIAB X-DUO 068BS-2

0 1 2 3 4 5 6 7 8m

10m

9
8
7
6
5
4
3
2
1
0
-1
-2
-3
-4



456-3431/1

ADC 2820

1680

1140

820

kg 2620


1520

1040

760



HIAB X-DUO 068B-1



ADC 2660

kg 2460

1620

1500


1140

1060

456-341 7/1



HIAB X-DUO 068BS-1



ADC 2900

1760

1220

kg 2680


1640

1120

456-3428/1



HIAB X-DUO 068D-3



ADC

1980

1440

1000

720

560

kg

1820

1320

920


660

500

4 566-344 9/1




HIAB X-DUO 068D-2





HIAB X-DUO 068DS-3



ADC

2580

1560

1040

740

580

kg

2400

1440

960

680

520


456-347 3/1



HIAB X-DUO 068B-2

0 1 2 3 4 5 6 7 8m

10m



456-341 S/1

ADC 2200

1540

1060

780

kg 2040


1420

980

720



HIAB X-DUO 068DS-1



ADC 2880

1780

1240

kg 2680


1640

1160

456-3469/1



HIAB X-DUO 068DS-4



456-3476/1