



# HIAB X-HIPRO 142 E-1



ADC kg	5300	3000	2100
kg	4900	2800	1980


# HIAB X-HIPRO 142 E-2



454.1100

ADC kg	4900	2800	1980	1520
kg	4500	2600	1820	1380

# HIAB X-HIPRO 142 ES-3




4841132



# HIAB X-HIPRO 142 ES-2

0 1 2 3 4 5 6 7 8 9 m




4541130

ADC kg	5500	3000	2100	1580
kg	5100	2800	1920	1440

# HIAB X-HIPRO 142 E-5

0 2 4 6 8 10 12 14 16 m




4841108

ADC kg	4000	2400	1640	1180	900	720	600
kg	3700	2200	1460	1060	780	620	520




# HIAB X-HIPRO 142 E-4



4841104

ADC kg	4300	2500	1740	1280	980	800
kg	3950	2300	1560	1160	880	720

# HIAB X-HIPRO 142 ES-4




ADC kg	4900	2700	1840	1360	1040	840
kg	4500	2500	1680	1220	940	760



# HIAB X-HIPRO 142 ES-5


0 2 4 6 8 10 12 14 16 m



4541138

ADC kg	4600	2600	1740	1240	940	740	620
kg	4200	2400	1560	1120	820	660	540

# HIAB X-HIPRO 142 E-3



4841102