



# Slewing Radius






### Lifting Height at Column




	H1 (ft)		Metric H1
OK2	10.7	OK2	3,25m
OK3	10.5	OK3	3,19m
OK4	10.2	OK4	3,11m
OK5	9.9	OK5	3,02m
OK6	9.7	OK6	2,95m


### Dimension Sketch, Stabilizer Legs




### Dimension Sketch, Stabilizer Cylinder




# Stabilizer Cylinders



INCHES		METRIC	
	TYPE 600		TYPE 600
NO.	63 03 570	No.	63 03 570
L*	33.5	L*	850 mm
S**	23.6	S**	600 mm
D	7.9	D	200 mm




INCHES		METRIC	
	TYPE 600		TYPE 600
NO.	63 03 570	No.	63 03 570
L*	36.2	L*	920 mm
S**	19.7	S**	600 mm
D	8.7	D	210 mm






\* Dimensio from bottom to base.  
 \*\* Aprox. 4.9 in. are used for the rotation of the leg.

INCHES		
	TYPE 500	TYPE 600
NO.	64 00 240	64 00 250
L*	30.3	34.3
S**	19.7	23.6
D	7.9	7.9
METRIC		
	TYPE 500	TYPE 600
No.	64 00 240	64 00 250
L*	770 mm	870 mm
S**	500 mm	600 mm
D	200 mm	200 mm




INCHES		
	TYPE 500	TYPE 600
NO.	64 00 240	64 00 250
L*	28.7	37
S**	19.7	19.7
D	8.7	8.7
METRIC		
	TYPE 500	TYPE 600
No.	64 00 240	64 00 250
L*	730 mm	940 mm
S**	500 mm	600 mm
D	210 mm	210 mm


# Dimension Sketch, Tank




### Dimension Sketch, Winch



# Stowed in Truck Body



### Dimensional Sketch - Internal Hose Routing



	OK-2	OK-3	OK-4	OK-5
A	4.2"	4.2"	5.2"	5.2"
B	1.5"	1.5"	0.6"	0.6"
D	20.5"	20.5"	22.4"	22.4"
METRIC				
	OK-2	OK-3	OK-4	OK-5
A	107	107	132	132
B	39	39	14	14
D	520	520	570	570