



# 50/345 K2 - Capacity Chart






# 50/345 K4 - Capacity Chart





# 50/345 K6 - Capacity Chart




# 50/346 K7 - Capacity Chart

**IMT**  
MATERIAL HANDLING SYSTEMS

**IOWA MOLD TOOLING CO., INC.**  
BOX 189 • GARNER • IA • 50438 • 641-923-3711

**Model 50/345K7**

- Limit working loads to those shown. Deduct the weight of load handling devices.
- *El peso propio (tara) de los dispositivos de manipulación de cargas es parte de la carga levantada y se debe descontar de la capacidad nominal.*



70399407


# 50/345 K8 - Capacity Chart

**IMT**  
MATERIAL HANDLING SYSTEMS

**IOWA MOLD TOOLING CO., INC.**  
BOX 189 • GARNER • IA • 50438 • 641-923-3711

## Model 50/345K8

- Limit working loads to those shown. Deduct the weight of load handling devices.
- *El peso propio (tara) de los dispositivos de manipulación de cargas es parte de la carga levantada y se debe descontar de la capacidad nominal.*




70399408

# 50/345 K2-K8 - Lifting Capacity Chart

▼ LIFTING CAPACITY WITHOUT MANUAL EXTENSIONS


▽ MANUAL EXTENSIONS

K2




LB	22840	16445	12675
FT	15'1"	20'8"	26'10"
KG	10360	7460	5750
M	4,6	6,3	8,2

K3



LB	22155	15830	12080	9680
FT	15'1"	20'8"	26'10"	33'5"
KG	10050	7180	5480	4390
M	4,6	6,3	8,2	10,2

K4



LB	21540	15256	11508	9127	7584	5842	4762	3858
FT	15'5"	21'0"	27'3"	33'10"	40'4"	46'9"	54'8"	62'3"
KG	9770	6920	5220	4140	3440	2650	2160	1750
M	4,7	6,4	8,3	10,3	12,3	14,3	16,7	19,0

K5




LB	20956	14705	10980	8600	7055	5975	4630	3858	3086
FT	15'5"	21'0"	27'3"	33'10"	40'4"	47'3"	54'8"	62'3"	69'9"
KG	9510	6670	4980	3900	3200	2710	2100	1750	1400
M	4,7	6,4	8,3	10,3	12,3	14,4	16,7	19,0	21,3

K6




LB	20435	14240	10540	8155	6615	5510	4740	3726	3086	2425
FT	15'7"	21'4"	27'6"	33'10"	40'8"	47'3"	54'9"	62'0"	69'9"	78'1"
KG	9270	6460	4780	3700	3000	2500	2150	1690	1400	1100
M	4,7	6,4	8,3	10,3	12,3	14,4	16,7	18,9	21,3	23,8

K7



LB	19930	13800	10140	7780	6240	5135	4385	3815	3086	2425	1653
FT	15'9"	21'4"	27'6"	34'1"	40'8"	47'7"	55'1"	62'4"	69'9"	78'1"	86'3"
KG	9040	6260	4600	3530	2830	2330	1990	1730	1350	1100	750
M	4,8	6,5	8,4	10,4	12,4	14,5	16,8	19,0	21,3	23,8	26,3

K8



LB	19490	13425	9765	7405	5885	4805	4035	3485	3085	2425	1653
FT	15'9"	21'4"	27'6"	34'1"	40'8"	47'7"	55'1"	62'8"	70'3"	78'1"	86'3"
KG	8840	6090	4430	3360	2670	2180	1830	1580	1400	1100	750
M	4,8	6,5	8,4	10,4	12,4	14,5	16,8	19,1	21,4	23,8	26,3

### 50/345 - Lifting Capacity with Winch

Hydraulic hoist type	MAXW	MAXWD	MAXW	MAXWD
Dinamic P9E	1500 kg	3000 kg	3307 lb	6614 lb
Dinamic P15E	2500 kg	5000 kg	5512 lb	11023 lb
Dinamic S 25 Brevini 2500	3200 kg	6400 kg	7055 lb	14110 lb

