




32 / 222 K2 - Capacity Chart



32 / 222 K3 - Capacity Chart



32 / 222 K4 - Capacity Chart




32 / 222 K7 - Capacity Chart

IMT
MATERIAL HANDLING SYSTEMS

IOWA MOLD TOOLING CO., INC.
BOX 189 • GARNER • IA • 50438 • 641-923-3711

Model 32 / 222 K7

- Limit working loads to those shown. Deduct the weight of load handling devices.
- *El peso propio (tara) de los dispositivos de manipulación de cargas es parte de la carga levantada y se debe descontar de la capacidad nominal.*




70399611

32 / 222 K2-K8 - Lifting Capacity Chart

▽ LIFTING WITH MANUAL EXTENSIONS


▼ LIFTING WITHOUT MANUAL EXTENSIONS

3220-K2




<u>LB</u>	15060	10690	8200
<u>FT</u>	14'9"	20'8"	26'10"
<u>KG</u>	6830	4850	3720
<u>M</u>	4,5	6,3	8,2

3220-K3




<u>LB</u>	14620	10275	7760	6220
<u>FT</u>	14'9"	20'8"	26'10"	33'5"
<u>KG</u>	6630	4660	3520	2820
<u>M</u>	4,5	6,3	8,2	10,2

3220-K4




<u>LB</u>	14130	9830	7340	5775	4785
<u>FT</u>	15'1"	21'0"	27'2"	33'9"	40'4"
<u>KG</u>	6410	4460	3330	2620	2170
<u>M</u>	4,6	6,4	8,3	10,3	12,3

3220-K5




<u>LB</u>	13735	9460	6990	5425	4410	3750
<u>FT</u>	15'1"	21'0"	27'2"	33'9"	40'7"	47'6"
<u>KG</u>	6230	4290	3170	2460	2000	1700
<u>M</u>	4,6	6,4	8,3	10,3	12,4	14,5

3220-K6




<u>LB</u>	13380	9130	6635	5095	4080	3420	2930	2425
<u>FT</u>	15'1"	21'0"	27'2"	33'9"	40'7"	47'6"	54'9"	62'0"
<u>KG</u>	6070	4140	3010	2310	1850	1550	1330	1100
<u>M</u>	4,6	6,4	8,3	10,3	12,4	14,5	16,7	18,9

3220-K7



<u>LG</u>	13030	8820	6330	4785	3770	3085	2625	2295	1984
<u>FT</u>	15'5"	21'3"	27'6"	33'9"	40'7"	47'6"	54'9"	62'0"	69'6"
<u>KG</u>	5910	4000	2870	2170	1710	1400	1190	1040	900
<u>M</u>	4,7	6,5	8,4	10,3	12,4	14,5	16,7	18,9	21,2

3220-K8



<u>LG</u>	12720	8510	6065	4495	3485	2800	2335	2005	1765	1499	992
<u>FT</u>	15'5"	21'3"	27'6"	34'1"	41'0"	47'10"	54'9"	62'0"	69'6"	76'8"	84'6"
<u>KG</u>	5770	3860	2750	2040	1580	1270	1060	910	800	680	450
<u>M</u>	4,7	6,5	8,4	10,4	12,5	14,6	16,7	18,9	21,2	23,4	25,8

32 / 222 - Lifting Capacity with Winch

Hydraulic hoist type	MAXW	MAXWD	MAXW	MAXWD
Dinamic P9E	1500 kg	3000 kg	3307 lb	6614 lb
Dinamic P15E	2500 kg	5000 kg	5512 lb	11023 lb
Dinamic S 25 Brevini 2500	3200 kg	6400 kg	7055 lb	14110 lb

