



# Outline dimensions



## Upperworks without crawlers x 1


Length	15,12 m	49' 7"
Width	3,24 m	10' 8"
Height	3,15 m	10' 4"
Weight	42 661 kg	94,052 lb

*Note: Weight includes base machine, gantry, maximum hoist and whip lines on drums, boom butt, full hydraulic fluid reservoir, and one-third tank of fuel.*




## Crawlers x 2

Length	6,77 m	22' 3"
Width	0,90 m	3' 0"
Height	1,15 m	3' 9"
Weight	11 830 kg	26,085 lb




## Hydraulic jack (if removed) x 4

Length	1,36 m	4' 5"
Width	0,32 m	1' 1"
Height	0,96 m	3' 2"
Weight	430 kg	950 lb




## Upper counterweight A x 1

Length	3,20 m	10' 5"
Width	0,58 m	1' 11"
Height	1,94 m	6' 4"
Weight	10 000 kg	22,050 lb




## Upper counterweight B x 2

Length	3,20 m	10' 5"
Width	0,49 m	1' 7"
Height	1,92 m	6' 3"
Weight	7 000 kg	15,435 lb



## Upper counterweight C x 1

Length	3,20 m	10' 5"
Width	0,69 m	2' 3"
Height	1,92 m	6' 3"
Weight	10 000 kg	22,050 lb



## Optional 3rd drum and wire rope x 1










Weight	2 660 kg	5,865 lb
--------	----------	----------

## Boom butt 7,6 m (25 ft) x 1

Length	7,79 m	26' 3"
Width	1,68 m	5' 6"
Height	2,06 m	6' 9"
Weight	2 110 kg	4,652 lb

Option

# Outline dimensions



Boom top 7,6 m (25 ft)		x 1
Length	8,32 m	27' 4"
Width	1,68 m	5' 6"
Height	1,69 m	5' 7"
Weight	1 525 kg	3,362 lb

Boom insert 3,0 m (10 ft)		x 1,2
Length	3,17 m	10' 5"
Width	1,68 m	5' 6"
Height	1,69 m	5' 7"
Weight	380 kg	838 lb

Boom insert 6,1 m (20 ft)		x 1,2
Length	6,22 m	20' 5"
Width	1,68 m	5' 6"
Height	1,69 m	5' 7"
Weight	655 kg	1,445 lb

Boom insert 12,2 m (40 ft)		x 1,2,3
Length	12,31 m	40' 5"
Width	1,68 m	5' 6"
Height	1,69 m	5' 7"
Weight	1 195 kg	2,635 lb

Note: Use of one "A" type insert with lug required for any boom combinations that require a 12,2 m (40') insert.

Fixed jib butt		x 1
Length	4,81 m	15' 9"
Width	0,80 m	2' 8"
Height	0,80 m	2' 8"
Weight	200 kg	440 lb

Fixed jib top		x 1
Length	4,91 m	16' 1"
Width	0,80 m	2' 8"
Height	0,80 m	2' 8"
Weight	280 kg	617 lb









Fixed jib insert 3,0 m (10 ft)		x 1,2
Length	3,12 m	10' 3"
Width	0,80 m	2' 8"
Height	0,80 m	2' 8"
Weight	100 kg	220 lb

Fixed jib insert 6,1 (20 ft)		x 1,2
Length	6,16 m	20' 3"
Width	0,80 m	2' 8"
Height	0,80 m	2' 8"
Weight	180 kg	395 lb

Fixed jib strut		x 1
Length	3,62 m	11' 11"
Height	0,62 m	2' 0"
Weight	250 kg	550 lb

Option

# Outline dimensions



**Special luffing boom insert**  
9,1 m (30 ft) x1

Length	9,27 m	30' 5"
Width	1,68 m	5' 6"
Height	2,41 m	7' 11"
Weight	1160 kg	2,558 lb

**Luffing jib top** x1

Length	6,91 m	22' 8"
Width	1,50 m	4' 11"
Height	1,48 m	4' 10"
Weight	1170 kg	2,580 lb

**Luffing jib butt** x1

Length	5,97 m	19' 7"
Width	1,49 m	4' 11"
Height	1,32 m	4' 4"
Weight	836 kg	1,903 lb

**Luffing jib insert 3,0 m (10 ft)** x1,2

Length	3,16 m	10' 5"
Width	1,49 m	4' 11"
Height	1,29 m	4' 3"
Weight	310 kg	684 lb

**Luffing jib insert 6,1 m (20 ft)** x1,2

Length	6,21 m	20' 5"
Width	1,49 m	4' 11"
Height	1,29 m	4' 3"
Weight	540 kg	1,147 lb

**Luffing jib insert 12,2 m (40 ft)** x1,2,3

Length	12,31 m	40' 4"
Width	1,49 m	4' 11"
Height	1,29 m	4' 3"
Weight	960 kg	2,117 lb

**Luffing jib point roller assembly** x1

Length	1,01 m	3' 4"
Width	0,89 m	2' 11"
Height	0,91 m	3' 0"
Weight	380 kg	838 lb

**Luffing boom top assembly (Shipping style)** x1

Length	8,19 m	26' 10"
Height	2,65 m	8' 8"
Weight	3 580 kg	7,895 lb

Option

# Transport data

## Trailer load out summary

12000 fixed jib 21,3 m (70 ft) on 12000 boom 70,1 m (230 ft)

Item	Weight each item kg (lb)	Quantity on trailer load #					
		1	2	3	4	5	6
12000 basic crane with crawlers removed	42 661 (94,052)	1					
Crawler frame	11 832 (26,085)		1				
Crawler frame	11 832 (26,085)			1			
Counterweight A	10 000 (22,050)					1	
Counterweight B	7 000 (15,435)				1		
Counterweight B	7 000 (15,435)					1	
Counterweight C	10 000 (22,050)						1
12,2 m (40 ft) boom insert, pendants	1 195 (2,635)		1				
12,2 m (40 ft) boom insert, pendants	1 195 (2,635)			1			
12,2 m (40 ft) boom insert, pendants	1 195 (2,635)				1		
6,1 m (20 ft) boom insert, pendants	655 (1,445)					1	
6,1 m (20 ft) boom insert, pendants	655 (1,445)						1
3,0 m (10 ft) boom insert, pendants	380 (838)		1				
3,0 m (10 ft) boom insert, pendants	380 (838)					1	
Standard boom top 7,6 m (25 ft)	1,525 (3,362)						1
Upper boom point	501 (1,105)			1			
4,6 m (15 ft) fixed jib top	280 (617)				1		
4,6 m (15 ft) fixed jib butt	200 (440)						1
6,1 m (20 ft) fixed jib insert	180 (395)				1		
6,1 m (20 ft) fixed jib insert	180 (395)						1
Approximate total Shipping weight kg (lb)		42 661 (94,052)	13 407 (29,558)	13 528 (29,825)	8 655 (19,082)	18 035 (39,768)	12 560 (27,692)
		1	2	3	4	5	6