







2320 RCS - Dimension Sketch




2320 RCS - Dimension sketch, internal hose routing






	øD	A	B	A	B
K1, K2, K3	ø480	200mm	68mm	7.9"	2.68"
K4	ø520	220mm	48mm	8.7"	1.89"
K5	ø570	245mm	23mm	9.6"	0.91"
K6	ø620	270mm	2mm	10.6"	0.08"




2320 RCS - Dimension sketch, extra valves K7, K8



	ϕD	A	B	A	B
K7	$\phi 720$	285mm	0mm	11.2"	0.00"
K8	$\phi 720$	285mm	0mm	11.3"	0.00"



2320 RCS - Center of Gravity



	mm								kg			
	V1	V2	V3	H1	H2	H3	H4	Z3	f	G1	G2	G3
K2	190	2055	795	135	2250	325	1610	25	290	895	1325	2230
K3	190	2100	820	135	2925	315	1780	45	290	895	1475	2370
K4	190	2130	840	135	3665	305	1925	60	290	895	1625	2520
K5	190	2160	855	135	4390	290	2045	80	290	895	1765	2660
K6	190	2180	870	135	5105	275	2140	90	290	895	1895	2790
K7	190	2195	890	135	5865	265	2230	105	290	895	2025	2920
K8	190	2205	910	135	6360	255	2285	115	290	895	2100	2995
	IN								LB			
	V1	V2	V3	H1	H2	H3	H4	Z3	f	G1	G2	G3
K2	7.5	80.9"	31.3"	5.3"	88.6"	12.8"	63.4"	1"	11.4"	35.2"	51.2"	87.8"
K3	7.5	82.7"	32.3"	5.3"	115.2"	12.4"	70.1"	1.8"	11.4"	35.2"	58.1"	93.3"
K4	7.5	83.9"	33.1"	5.3"	144.3"	12"	75.8"	2.4"	11.4"	35.2"	64"	99.2"
K5	7.5	85"	33.7"	5.3"	172.8"	11.4"	80.5"	3.1"	11.4"	35.2"	69.5"	104.7"
K6	7.5	85.8"	34.3"	5.3"	201.0"	10.8"	84.3"	3.5"	11.4"	35.2"	74.6"	109.8"
K7	7.5	86.4"	35"	5.3"	230.9"	10.4"	87.8"	4.1"	11.4"	35.2"	79.7"	115"
K8	7.5	86.8"	35.8"	5.3"	250.4"	10.4"	90"	4.5"	11.4"	35.2"	82.7"	117.9"