


SPX509 - MAIN BOOM


HOOK configuration

J7



SPX509 - MAIN BOOM

HOOK configuration



CRANE PERFORMANCE : J7										
L [ft]→	8' 7"	9' 4"	12' 7"	15' 11"	19' 2"	22' 5"	25' 9"	29' 0"	32' 3"	33' 11"
3' 3"	1950	1950	1950	1950	1950	1950	1950	1950	1950	1950
6' 7"	1950	1950	1950	1950	1950	1950	1950	1950	1950	1950
9' 10"			1950	1950	1950	1950	1950	1950	1950	1950
13' 1"				1950	1950	1950	1950	1950	1950	1950
16' 5"					1950	1950	1950	1950	1950	1950
19' 8"						1950	1950	1950	1950	1984
22' 12"							1950	1764	1764	1764
26' 3"								1433	1411	1411
29' 6"									1168	1146
31' 0"										1102
↑R [ft]	[lb]									

LC532_V202DD0923_C0J7

SPX509 - MAIN BOOM

HOOK configuration

CRANE PERFORMANCE: J6										
L [ft]→	8' 7"	9' 4"	12' 7"	15' 11"	19' 2"	22' 5"	25' 9"	29' 0"	32' 3"	33' 11"
3' 3"	1950	1950	1950	1950	1950	1950	1950	1950	1950	1950
6' 7"	1950	1950	1950	1950	1950	1950	1950	1950	1950	1950
9' 10"			1950	1950	1950	1950	1950	1950	1950	1950
13' 1"				1950	1950	1950	1950	1950	1950	1950
16' 5"					1950	1950	1950	1950	1950	1950
19' 8"						1764	1764	1764	1764	1764
22' 12"							1323	1323	1323	1323
26' 3"								1058	1058	1058
29' 6"									882	882
31' 0"										794
↑R [ft]	[lb]									

LC532_V202DD0923_C0J6

CRANE PERFORMANCE: J5					
L [ft]→	8' 7"	9' 4"	12' 7"	15' 11"	19' 2"
3' 3"	1950	1950	1950	1543	882
6' 7"	1950	1950	1543	1102	882
9' 10"			1323	992	661
13' 1"				772	617
16' 5"					441
↑R [ft]	[lb]				

LC532_V202DD0923_C0J5


CRANE PERFORMANCE: J1		
L [ft]→	8' 7"	9' 4"
3' 3"	882	882
6' 7"		243
↑R [ft]	[lb]	

LC532_V202DD0923_C0J1

SPX509 - MAIN BOOM

WINCH configuration

J7



SPX509 - MAIN BOOM

WINCH configuration



CRANE PERFORMANCE : J7										
L [ft]→	8' 7"	8' 11"	12' 3"	15' 6"	18' 10"	22' 1"	25' 4"	28' 8"	31' 11"	33' 11"
3' 3"	1950	1950	1950	1950	1950	1950	1950	1950	1950	1950
6' 7"	1950	1950	1950	1950	1950	1950	1950	1950	1950	1950
9' 10"			1950	1950	1950	1950	1950	1950	1950	1950
13' 1"				1950	1950	1950	1950	1950	1950	1950
16' 5"					1950	1950	1950	1950	1950	1950
19' 8"						1950	1950	1950	1950	1950
22' 12"							1764	1764	1764	1764
26' 3"								1433	1411	1411
29' 6"									1168	1146
31' 2"										1036
↑R [ft]	[lb]									

LC532_V202DD0923_C1J7

SPX509 - MAIN BOOM

WINCH configuration

L [ft]→	CRANE PERFORMANCE: J6									
L [ft]→	8' 7"	8' 11"	12' 3"	15' 6"	18' 10"	22' 1"	25' 4"	28' 8"	31' 11"	33' 11"
3' 3"	1950	1950	1950	1950	1950	1950	1950	1950	1950	1950
6' 7"	1950	1950	1950	1950	1950	1950	1950	1950	1950	1950
9' 10"			1950	1950	1950	1950	1950	1950	1950	1950
13' 1"				1950	1950	1950	1950	1950	1950	1950
16' 5"					1950	1950	1950	1950	1950	1950
19' 8"						1764	1764	1764	1764	1764
22' 12"							1323	1323	1323	1323
26' 3"								1058	1058	1058
29' 6"									882	882
31' 2"										705
↑R [ft]	[lb]									

LC532_V202DD0923_C1J6

L [ft]→						CRANE PERFORMANCE: J5				
L [ft]→	8' 7"	8' 11"	12' 3"	15' 6"	18' 10"					
3' 3"	1950	1950	1950	1543	882					
6' 7"	1950	1950	1543	1102	882					
9' 10"			1323	992	661					
13' 1"				772	617					
16' 5"					441					
↑R [ft]	[lb]									

LC532_V202DD0923_C1J5


L [ft]→			CRANE PERFORMANCE: J1							
L [ft]→	8' 7"	8' 11"								
3' 3"	882	882								
6' 7"		243								
↑R [ft]	[lb]									

LC532_V202DD0923_C1J1

SPX509 - JIB1000.2H1MX

WINCH configuration

J7



SPX509 - JIB1000.2H1MX

WINCH configuration

CRANE PERFORMANCE	d = 1,16m			d = 1,82m		d = 2,18m	
							J7
						J6	
					J5		
J1 - PICK & CARRY							
J0 - No LIFTING CAPACITY							
STABILITY AREA							

CRANE PERFORMANCE: J7					
L [ft]→	6' 3"	10' 2"	14' 5"	16' 9"	
6' 7"	1950	1367	1080	882	
9' 10"	1950	1168	1058	772	
13' 1"	1950	1124	926	728	
16' 5"	1950	1102	904	705	
19' 8"	1950	1080	882	683	
22' 12"	1477	1058	860	661	
26' 3"	970	882	838	639	
29' 6"	838	838	750	617	
32' 10"	639	639	639	551	
36' 1"	507	507	507	507	
39' 4"		419	419	419	
42' 8"			331	331	
45' 11"			309	287	
48' 7"				220	
↑R [ft]	[lb]				

LC532_V202DD0923

*References at accessories limits page

SPX509 - JIB1000.2H1MX

WINCH configuration

CRANE PERFORMANCE: J6					
L [ft]→	6' 3"	10' 2"	14' 5"	16' 9"	
6' 7"	1950	1190	992	882	
9' 10"	1950	1102	948	772	
13' 1"	1950	1058	794	661	
16' 5"	1764	948	728	639	
19' 8"	1301	882	661	617	
22' 12"	926	838	639	595	
26' 3"	661	661	617	573	
29' 6"	441	441	441	441	
32' 10"	309	309	309	309	
36' 1"	243	243	243	243	
↑R [ft]	[lb]				

LC532_V202DD0923_C17J6

CRANE PERFORMANCE: J5					
L [ft]→	6' 3"	10' 2"	14' 5"	16' 9"	
6' 7"	1764	926	551	463	
9' 10"	1543	882	529	441	
13' 1"	882	661	507	419	
16' 5"	617	529	485	397	
↑R [ft]	[lb]				

LC532_V202DD0923_C17J5

CRANE PERFORMANCE: J1	
L [ft]→	6' 3"
6' 7"	220
9' 10"	220
13' 1"	110
↑R [ft]	[lb]


LC532_V202DD0923_C17J1

*References at accessories limits page

SPX509 - JIB1000.2H1MX

HOOK configuration

J7



SPX509 - JIB1000.2H1MX

HOOK configuration



CRANE PERFORMANCE: J7				
L [ft]→	6' 3"	10' 2"	14' 5"	16' 9"
6' 7"	1950	1367	1080	882
9' 10"	1950	1168	1058	772
13' 1"	1950	1124	926	728
16' 5"	1950	1102	904	705
19' 8"	1950	1080	882	683
22' 12"	1477	1058	860	661
26' 3"	970	882	838	639
29' 6"	838	838	750	617
32' 10"	639	639	639	551
36' 1"	507	507	507	507
39' 4"		419	419	419
42' 8"			331	331
45' 11"			309	287
48' 7"				220
↑R [ft]	[lb]			

LC532_V202DD0923_C16J7

*References at accessories limits page

SPX509 - JIB1000.2H1MX

HOOK configuration

CRANE PERFORMANCE: J6					
L [ft]→	6' 3"	10' 2"	14' 5"	16' 9"	
6' 7"	1950	1190	992	882	
9' 10"	1950	1102	948	772	
13' 1"	1950	1058	794	661	
16' 5"	1764	948	728	639	
19' 8"	1301	882	661	617	
22' 12"	926	838	639	595	
26' 3"	661	661	617	573	
29' 6"	441	441	441	441	
32' 10"	309	309	309	309	
36' 1"	243	243	243	243	
↑R [ft]	[lb]	<small>LC532_V202DD0923_C16J6</small>			

CRANE PERFORMANCE: J5					
L [ft]→	6' 3"	10' 2"	14' 5"	16' 9"	
6' 7"	1764	926	551	463	
9' 10"	1543	882	529	441	
13' 1"	882	661	507	419	
16' 5"	617	529	485	397	
↑R [ft]	[lb]	<small>LC532_V202DD0923_C16J5</small>			


CRANE PERFORMANCE: J1					
L [ft]→	6' 3"				
6' 7"	220				
9' 10"	220				
13' 1"	110				
↑R [ft]	[lb]	<small>LC532_V202DD0923_C16J1</small>			

*References at accessories limits page

SPX509

SPX509 - JIB1200GX

J7



SPX509 - JIB1200GX



CRANE PERFORMANCE: J7										
[ft] L →	8' 7"	9' 1"	12' 4"	15' 7"	18' 11"	22' 2"	25' 6"	28' 9"	32' 0"	33' 11"
L+L _J →	12' 2"	12' 10"	16' 1"	19' 4"	22' 8"	25' 11"	29' 2"	32' 6"	35' 9"	37' 5"
3' 3"	1950	1950	1950	1950	1950	1950	1950	1950	1950	1950
6' 7"	1950	1950	1950	1950	1950	1950	1950	1950	1950	1950
9' 10"	1950	1950	1950	1950	1950	1950	1950	1950	1950	1950
13' 1"			1950	1950	1950	1950	1950	1950	1950	1950
16' 5"				1950	1950	1950	1950	1950	1950	1950
19' 8"					1950	1950	1950	1950	1896	1852
22' 12"						1720	1676	1609	1543	1543
26' 3"							1345	1279	1279	1257
29' 6"								1080	1080	1080
32' 10"									882	882
34' 7"										772
↑R [ft]	[[lb]									

LC532_V202DD0923_C8J7

*References at accessories limits page

SPX509 - JIB1200GX

CRANE PERFORMANCE: J6										
[ft] L →	8' 7"	9' 1"	12' 4"	15' 7"	18' 11"	22' 2"	25' 6"	28' 9"	32' 0"	33' 11"
L+L _J →	12' 2"	12' 10"	16' 1"	19' 4"	22' 8"	25' 11"	29' 2"	32' 6"	35' 9"	37' 5"
3' 3"	1950	1950	1950	1950	1950	1950	1950	1950	1950	2646
6' 7"	1950	1950	1950	1950	1950	1950	1950	1950	1950	2491
9' 10"	1950	1950	1950	1950	1950	1950	1950	1950	1950	2205
13' 1"			1950	1950	1950	1950	1950	1950	1950	2161
16' 5"				1950	1950	1950	1950	1950	1950	1984
19' 8"					1720	1653	1565	1499	1367	1323
22' 12"						1279	1235	1190	1102	1058
26' 3"							970	948	926	882
29' 6"								772	772	705
32' 10"									639	617
34' 7"										551
↑R [ft]	[lb]									

LC532_V202DD0923_C8J6


CRANE PERFORMANCE: J5				
[ft] L →	8' 7"	9' 1"	12' 4"	15' 7"
L+L _J →	12' 2"	12' 10"	16' 1"	19' 4"
3' 3"	1950	1950	1543	882
6' 7"	1950	1323	1102	794
9' 10"	1190	1190	882	573
13' 1"			617	485
16' 5"				331
↑R [ft]	[lb]			

LC532_V202DD0923_C8J5

*References at accessories limits page

SPX509 - JIB500GR

J7



SPX509 - JIB500GR



CRANE PERFORMANCE: J7										
[ft] L →	8' 7"	10' 0"	13' 3"	16' 7"	19' 10"	23' 1"	26' 5"	29' 8"	32' 12"	33' 11"
L+L _J →	14' 5"	16' 1"	19' 4"	22' 8"	25' 11"	28' 10"	32' 2"	35' 9"	39' 1"	39' 8"
3' 3"	1102	1102	1102	1102	1102	1102	1102	1102	1102	1102
13' 1"	1102	1102	1102	1102	1102	1102	1102	1102	1102	1102
16' 5"			1102	1102	1102	1102	1102	1102	1102	1102
19' 8"				1102	1102	1102	1102	1102	1102	1102
22' 12"					1102	1102	1102	1102	1102	1102
26' 3"						882	882	860	860	860
29' 6"							639	617	617	617
32' 10"								441	441	441
↑R [ft]	[lb]									

LC532_V202DD0923_C24J7

*References at accessories limits page

SPX509 - JIB500GR

CRANE PERFORMANCE: J6										
[ft] L →	8' 7"	10' 0"	13' 3"	16' 7"	19' 10"	23' 1"	26' 5"	29' 8"	32' 12"	33' 11"
L+L _J →	14' 5"	16' 1"	19' 4"	22' 8"	25' 11"	28' 10"	32' 2"	35' 9"	39' 1"	39' 8"
3' 3"	1102	1102	1102	1102	1102	1102	1102	1213	1102	1102
13' 1"	1102	1102	1102	1102	1102	1102	1102	1213	1102	1102
16' 5"			1102	1102	1102	1102	1102	1102	1102	1102
19' 8"				1102	1102	1080	1014	970	948	948
22' 12"					772	750	728	683	683	683
26' 3"						507	485	463	463	463
↑R [ft]	[lb]									

LC532_V202DD0923_C24J6

CRANE PERFORMANCE: J5					
[ft] L →	8' 7"	10' 0"	13' 3"		
L+L _J →	14' 5"	16' 1"	19' 4"		
3' 3"	1102	1102	1102		
6' 7"	1102	1102	1102		
9' 10"	1102	882	882		
13' 1"		661	661		
16' 5"			441		
↑R [ft]	[lb]				

LC532_V202DD0923_C24J5