



Base Crane

Base Crane ①

Width 10 ft 2.25 in (3.10m)
 Height* 45 in (1.14m)
 Weight 89,440 lb (40 569kg)

* Maximum ground clearance on pontoons



Side Frames


Side Frames ②

Standard 48" (1.22m) Shoes

Length 27 ft 9 in (8.46m)
 Width 48 in (1.22m)
 Height 57.25 in (1.45m)
 Weight 41,490 lb (18 820kg)

Optional 60" (1.52m) Shoes

Length 27 ft 9 in (8.46m)
 Width 60 in (1.52m)
 Height 57.25 in (1.45m)
 Weight 43,211 lb (19 601kg)




Number inside black circle "①" = # of components

Upper Counterweights


“A” Base Counterweight ①

Length	6 ft 2.50 in	(1.89m)
Width	15 ft 5 in	(4.70m)
Height	7 ft 2.75 in	(2.20m)
Weight	36,000 lb	(16 330kg)



“A”, “B”, “C”, “D”, & “E”, Wing Counterweights ⑤


Length 1	60 in	(1.52m)
Length 2	61 in	(1.55m)
Width 1	74.25 in	(1.89m)
Width 2	71 in	(1.80m)
Height	23.50 in	(0.60m)
Weight:		
Left Side	12,800 lb	(5 806kg)
Right Side	12,000 lb	(5 443kg)



Lower Counterweights

Carbody Counterweights ②

Length	12 ft 5.75 in	(3.80m)
Width	43.25 in	(1.10m)
Height	35.25 in	(0.90m)
Weight	30,000 lb	(13 608kg)





Number inside black circle “①” = # of components

Boom/Luffing Boom



30 ft (9.14m) Boom Top Section ①

Length	32 ft 0.9 in	(9.78m)
Width	85.25 in	(2.17m)
Deep	68 in	(1.73m)
Height	108 in	(2.74m)
Weight	9,699 lb	(4 399kg)



30 ft (9.14m) Boom Base Section ①

Length	34 ft 1 in	(10.39m)
Width	86.6 in	(2.2m)
Deep	68 in	(1.73m)
Height	82.1 in	(2.09m)
Weight	8,341 lb	(3 783kg)




Number inside black circle "①" = # of components

68 in (1.73m) x 80 in (2.03m) Boom/Luffing Boom Extensions

10 ft (3.05m) Extension

Weight†: 1,611 lb (730kg)


† Weight includes pins and pendants.



20 ft (6.10m) Extension

Weight†: 2,646 lb (1 206kg)


† Weight includes pins and pendants.



30 ft (9.14m) Extension

Weight†: 3,730 lb (1 691kg)


† Weight includes pins and pendants.



40 ft (12.19m) Extension

Weight†: 4,834 lb (2 192kg)


† Weight includes pins and pendants.



20 ft (6.10m) HD Extension

Weight†: 3,036 lb (1 377kg)


† Weight includes pins and pendants.



30 ft (9.14m) HD Extension

Weight†: 4,306 lb (1 953kg)

† Weight includes pins and pendants.



Number inside black circle "①" = # of components



Jib/Luffing Fixed Jib

15 ft (4.57m) Jib

Top Section* ①

Length	16 ft 7 in	(5.05m)
Width	57.8 in	(1.47m)
Height	35.62 in	(0.9m)
Weight†	828 lb	(376kg)



† Weight includes hardware.



15 ft (4.57m) Jib Base & Strut Section* ①

Length	18 ft 2.7 in	(5.56m)
Width	38.2 in	(0.97m)
Height 1	32.66 in	(0.83m)
Height 2	61.1 in	(1.55m)
Weight†	2,288lb	(1 038kg)



† Weight includes pins, basic frontstay & backstay pendants, and hardware.



10 ft (3.05m) Jib Extension* ①

Length	10 ft 3 in	(3.12m)
Width	38 in	(0.97m)
Height	34.50 in	(0.88m)
Weight†	363 lb	(165kg)



† Weights includes pins, pendants, and hardware.



20 ft (6.10m) Jib Extension* ①

Length	20 ft 3 in	(6.17m)
Width	38 in	(0.97m)
Height	34.50 in	(0.88m)
Weight†	592 lb	(269kg)

† Weights includes pins, pendants, and hardware.




Number inside black circle “①” = # of components

* – Optional equipment

Auxiliary Tip Extension* ①


Length	83.2 in	(2.11m)
Width	48.25 in	(1.23m)
Height	56.45 in	(1.43m)
Weight	961 lb	(436kg)



Luffing Jib Transport Configuration* ①

Length	27 ft 1.1 in	(8.26m)
Width	64.92 in	(1.65m)
Height 1	69.11 in	(1.76m)
Height 2	106.51 in	(2.71m)
Weight†	10,047 lb	(4 722kg)


† Weight includes pins, basic frontstay & backstay pendants, and hardware.



20 ft (6.10m) Luffing Jib Top Section* ①

Length	22 ft 1 in	(6.73m)
Width	63.12 in	(1.6m)
Height	57.06 in	(4.76m)
Weight†	1,981 lb	(899kg)

† Weight includes pendants and hardware.



Number inside black circle “①” = # of components

* – Optional equipment


Luffing Jib Extensions

60 in (1.52m) x 50 in (1.27m)

Extensions With Pendants


10 ft (3.05m) Extension

Weight: 858 lb (389kg)




20 ft (6.10m) Extension

Weight: 1,376 lb (624kg)




30 ft (9.14m) Extension

Weight: 1,895 lb (860kg)



40 ft (12.19m) Extension

Weight: 2,409 lb (1 093kg)



Number inside black circle "1" = # of components


* – Optional equipment

Hook Balls

20 Ton (18.2mt) Swivel

Hook Ball* 1

Width	16.14 in	(0.41m)
Height	40.59 in	(1.03m)
Weight	1,250 lb	(568kg)




Hook Blocks

40 Ton (36.3mt)

1–Sheave Hook Block* 1


Width1	32.69 in	(0.83m)
Width2	14.19 in	(0.36m)
Width3	12.0 in	(0.30m)
Height	72.63 in	(1.84m)
Weight	2,274 lb	(1 031kg)



90 Ton (81.6mt)

3–Sheave Hook Block* 1

Width1	32.69 in	(0.83m)
Width2	19.75 in	(0.50m)
Width3	17.0 in	(0.43m)
Height	82.06 in	(2.08m)
Weight	3,611 lb	(1 031kg)




Number inside black circle “1” = # of components
 * – Optional equipment

165 Ton (150mt)

5–Sheave Hook Block* ①


Width1	32.69 in	(0.83m)
Width2	26.06 in	(0.66m)
Width3	21.33 in	(0.54m)
Height	85.44 in	(2.17m)
Weight	4,542 lb	(2 060kg)



200 Ton (181.4mt)

5–Sheave Hook Block* ①


Width1	32.69 in	(0.83m)
Width2	22.13 in	(0.56m)
Width3	23.9 in	(0.61m)
Height	89.75 in	(2.28m)
Weight	4,645 lb	(2 107kg)



250 Ton (226.8mt)

6–Sheave Hook Block* ①

Width1	32.69 in	(0.83m)
Width2	25.66 in	(0.65m)
Width3	26.8 in	(0.68m)
Height	94.13 in	(2.39m)
Weight	5,660 lb	(2 567kg)



Number inside black circle “①” = # of components

* – Optional equipment