



# Base Crane

## Base Crane ①

Length 1	17' ft 8.7"	(5.40m)
Length 2	41' ft 10.6"	(12.77m)
Width 1	12 ft 3.2 in	(3.74m)
Width 2	13 ft 10.9 in	(4.24m)
Height 1	11 ft 6.8 in	(3.52m)
Height 2	44.0 in	(1.12m)
Weight*	98,200 lb	(44 550kg)


\* Includes: 1,255 ft (382.52m) of 1.02 in (26mm) "LB" rope (boom hoist)  
 1,060 ft (323.1m) of 1.10 in (28mm) "KC" rope (rear hoist)  
 1,650 ft (502.9m) of 1.10 in (28mm) "KC" rope (front hoist)  
 Add 2,600 lb (1 179kg) for free fall capable winches



## Side Frames


### With 50 in (1.27m) Track Shoes ②

Length	30 ft 6 in	(9.31m)
Width	69.3 in	(1.76m)
Height	57.7 in	(1.47m)
Weight	45,000 lb	(20 412kg)



### With 60 in (1.52m) Track Shoes ②

Length	30 ft 8 in	(8.16m)
Width	60 in	(1.52m)
Height	57.7 in	(1.47m)
Weight	48,000 lb	(2 177kg)




Number inside black circle "①" = # of components

# Upper Counterweights


## Base Counterweight ①

Length	7 ft 8.5 in	(2.35m)
Width	15 ft 5 in	(4.7m)
Height	7 ft 11.7 in	(2.43m)
Weight	36,100 lb	(16 375kg)




## “A” “B” and “C” Left Wing Counterweights ⑥

Length	7 ft 6.3 in	(2.3m)
Width	5 ft 2 in	(1.6m)
Height	1 ft 9.1 in	(0.5m)
Weight	16,670 lb	(7 560kg)




## “A” “B” and “C” Right Wing Counterweights ⑥

Length	6 ft 4.3 in	(1.9m)
Width	5 ft 3.4 in	(1.6m)
Height	1 ft 9.1 in	(0.5m)
Weight	15,240 lb	(6 910kg)



Number inside black circle “①” = # of components


## Upper Counterweight Configurations



## Lower Counterweights


### Base Counterweight ②

Length	13 ft 9.8 in	(4.21m)
Width	4 ft 8.7 in	(1.44m)
Height	1 ft 9.0 in	(0.53m)
Weight	20,700 lb	(9 389kg)



### Top Counterweight ④

Length	13 ft 11.2 in	(4.25m)
Width	3 ft 9.0 in	(1.14m)
Height	1 ft 7.2 in	(0.49m)
Weight	17,000 lb	(7 711kg)



# Boom

**80 in (2.03m) x 95 in (2.41m)**


## Heavy Duty Boom

### Extensions “JC”

*Weights Include Walkway, Pendants, and Hardware*


#### 20 ft (6.10m) Extension

Length	20 ft 5.75 in	(6.24m)
Width	101.57 in	(2.58m)
Height	92.13 in	(2.34m)
Weight:	3,812 lb	(1 729kg)




#### 30 ft (9.14m) Extension

Length	30 ft 5.75 in	(9.29m)
Width	101.57 in	(2.58m)
Height	92.13 in	(2.34m)
Weight:	5,400 lb	(2 449kg)



#### 40 ft (12.19m) Extension

Length	40 ft 5.75 in	(12.34m)
Width	101.57 in	(2.58m)
Height	92.13 in	(2.34m)
Weight:	6,976 lb	(3 164kg)



**68 in (1.72m) x 80 in (2.03m)**


## Long Range Boom

### Extensions “FE”

*Weights Include Walkway, Pendants, and Hardware*


#### 10 ft (3.05m) Extension

Length	10 ft 4.63 in	(3.17m)
Width	86.34 in	(2.19m)
Height	80.08 in	(2.04m)
Weight	1,425 lb	(646kg)




#### 20 ft (6.10m) Extension

Length	20 ft 4.63 in	(6.21m)
Width	86.34 in	(2.19m)
Height	80.08 in	(2.04m)
Weight	2,280 lb	(1 034kg)




#### 30 ft (9.14m) Extension

Length	30 ft 4.63 in	(9.26m)
Width	86.34 in	(2.19m)
Height	80.08 in	(2.04m)
Weight:	3,155 lb	(1 431kg)





#### 40 ft (12.19m) Extension

Length	40 ft 4.63 in	(12.31m)
Width	86.34 in	(2.19m)
Height	80.08 in	(2.04m)
Weight:	4,198 lb	(1 904kg)





**15 ft (6.10m) Heavy Duty/  
Long Range Boom  
Base Section "N"** ①

Length 1	16 ft 1.7 in	(4.92m)
Length 2	19 ft 4.2 in	(5.90m)
Width	8 ft 6 in	(2.59m)
Deep	80 in	(2.03m)
Height	8 ft 4.5 in	(2.55m)
Weight	7,898 lb	(3 582kg)





**20 ft (6.10m) Heavy Duty/  
Long Range Boom  
Base Extension "JT"** ①

Length	20 ft 5.8 in	(6.24m)
Width	8 ft 5.7 in	(2.58m)
Deep	80 in	(2.03m)
Height	7 ft 8.1 in	(2.34m)
Weight	3,873 lb	(1 757kg)



**20 ft (6.10m) Heavy Duty/  
Long Range Boom  
Tapered Extension "JR"** ①

Length	20 ft 5.2 in	(6.23m)
Width	8 ft 4.3 in	(2.55m)
Deep	80 in	(2.03m)
Height	7 ft 5.4 in	(2.27m)
Weight	4,817 lb	(2 185kg)





Number inside black circle "①" = # of components

\* - Optional equipment



### 15 ft (4.57m) Heavy Duty Boom Top Section "N" ①

Length	17 ft 9.3 in	(5.42m)
Width	7 ft 2 in	(2.18m)
Deep	68.1 in	(1.73m)
Height	9 ft 2.9 in	(2.82m)
Weight	8,054 lb	(3 653kg)



### 30 ft (9.14m) Long Range Boom Top Section "G" ①

Length	33 ft 11.8 in	(10.36m)
Width	7 ft 0.3 in	(2.14m)
Deep	68 in	(1.73m)
Height	7 ft 5.5 in	(2.27m)
Weight	5,514 lb	(2 501kg)



Number inside black circle "①" = # of components  
 \* - Optional equipment


# Jib/Fixed Jib

## 20 ft (6.10m) Jib/Fixed

### Top Section "E"\* 1

Length	22 ft 2.1 in	(6.76m)
Width	51.2 in	(1.30m)
Deep	39 in	(0.99m)
Height	3 ft 9.6 in	(1.16m)
Weight	1,684 lb	(764kg)

Weight includes jib top, 23 in (0.58m) head sheave, pendant links, ATB weight, and mounting hardware.




## 20 ft (6.10m) Jib/Fixed

### Base Section "K"\* 1

Length	21 ft 6 in	(6.42m)
Width	52.8 in	(1.34m)
Deep	39 in	(0.99m)
Height	5 ft 7.9 in	(1.72m)
Weight	2,677 lb	(1 214kg)

Weight includes base section, strut, and mounting hardware.




## 20 ft (6.10m) Jib/Fixed

### Extensions "EF"\*

Length	20 ft 3.5 in	(6.18m)
Width	52.8 in	(1.34m)
Deep	39 in	(0.99m)
Height	3 ft 7.9 in	(1.11m)
Weight	1,028 lb	(466kg)

Weights includes extension, pendants, wear bar, and mounting hardware.




Number inside black circle "1" = # of components

\* - Optional equipment

# Hook Balls


## 20 Ton (18.1mt) Swivel Hook Ball\* ①

Width	21.75 in	(0.55m)
Height	41.75 in	(1.06m)
Weight	1,255 lb	(569kg)



## 20 Ton (18.1mt) Non- Swivel Hook Ball\* ①

Width	21.75 in	(0.55m)
Height	39 in	(0.99m)
Weight	1,214 lb	(551kg)




# Hook Blocks

## 40 Ton (36.3mt)

### 1- Sheave Hook Block\* ①


Width1	32.69 in	(0.83m)
Width2	14.19 in	(0.36m)
Width3	12.0 in	(0.30m)
Height	72.63 in	(1.84m)
Weight	2,274 lb	(1 031kg)



## 90 Ton (81.6mt)

### 3- Sheave Hook Block\* ①

Width1	32.69 in	(0.83m)
Width2	26.94 in	(0.68m)
Width3	17.00 in	(0.43m)
Height	82.06 in	(2.08m)
Weight	4,631 lb	(2 101kg)




Number inside black circle “①” = # of components  
 \* - Optional equipment

**165 Ton (150mt)**

**5- Sheave Hook Block\* ①**


Width1	32.69 in	(0.83m)
Width2	33.25 in	(0.84m)
Width3	21.33 in	(0.54m)
Height	85.44 in	(2.17m)
Weight	5951 lb	(2 699kg)



**200 Ton (181.4mt)**

**5- Sheave Hook Block\* ①**


Width1	32.68 in	(0.83m)
Width2	25.67 in	(0.65m)
Width3	23.9 in	(0.61m)
Height	89.76 in	(2.28m)
Weight	5,951 lb	(2 699kg)



**250 Ton (226.8mt)**

**6- Sheave Hook Block\* ①**

Width1	32.69 in	(0.83m)
Width2	25.06 in	(0.64m)
Width3	26.8 in	(0.68m)
Height	94.16 in	(2.39m)
Weight	6,281 lb	(2 849kg)




Number inside black circle "①" = # of components

\* - Optional equipment

**300 Ton (272.2mt)**  
**7- Sheave Hook Block\* ①**

Width1	27.95 in	(0.71m)
Width2	33.15 in	(0.84m)
Width3	37.17 in	(0.94m)
Height	93.23 in	(2.37m)
Weight	6,500 lb	(2 948kg)



Number inside black circle “①” = # of components  
 \* - Optional equipment