



# Outline dimensions




Rotating bed assembly	
Length	16,1 m
Width	3,0 m
Height	3,0 m
Weight	71 100 kg

*Note: includes live mast, boom hoist, gantry, rotating bed jacks, whip hoist.*




Rotating bed assembly	
Length	12,9 m
Width	3,0 m
Height	2,6 m
Weight	44 200 kg

*Note: includes rotating bed jacks, whip hoist.  
Note: excludes live mast, boom hoist, gantry.*




Rotating bed assembly	
Length	12,9 m
Width	3,0 m
Height	2,6 m
Weight	38 600 kg

*Note: includes rotating bed jacks.  
Note: excludes whip hoist, live mast, boom hoist, gantry.*



Live mast package	
Length	12,4 m
Width	3,0 m
Height	2,5 m
Weight	26 700 kg


*Note: includes live mast, boom hoist, gantry.*



Whip hoist package	
Length	1,6 m
Width	1,6 m
Height	1,4 m
Weight	5800 kg


*Note: includes wire rope.*

# Outline dimensions




Carbody assembly without jacks	
Length	7,2 m
Width	3,0 m
Height	3,0 m
Weight	41 200 kg


*Note: includes carbody, adapter frame, three swing drives, slewing ring.*




Crawler assembly 1,5 m pads	
Length	11,1 m
Width	2,3 m
Height	1,9 m
Weight	38 600 kg



Crawler assembly 2,0 m pads	
Weight	46 400 kg




Counterweight tray assembly	
Length	9,4 m
Width	2,5 m
Height	0,9 m
Weight	20 000 kg




Counterweight box	
Length	2,4 m
Width	3,3 m
Height	0,4 m
Weight	10 000 kg

# Outline dimensions




6 m No. 680 boom butt	
Length	6,5 m
Width	3,0 m
Height	2,8 m
Weight	19 100 kg

*Note: includes main load hoist #1, wire rope, rigging winch.*




6 m No. 680 boom butt with luffing hoist	
Weight	26 000 kg

*Note: includes main load hoist #1, wire rope, rigging winch, luffing hoist.*




4 m No. 680 boom insert	
Length	4,3 m
Width	3,0 m
Height	2,8 m
Weight	17 600 kg

*Note: includes main load hoist #2, wire rope and backstay straps.*




10 m No. 680 boom top	
Length	12,2 m
Width	3,0 m
Height	2,8 m
Weight	18 600 kg

*Note: includes lower boom points, wire rope guides.*



12m No. 680 boom insert, extra heavy with sheaves	
Length	12,2 m
Width	3,0 m
Height	2,8 m
Weight	12 500 kg


*Note: includes boom straps, backstay straps, luffing jib wire rope guide.*



12 m No. 680 boom insert, heavy with equalizer	
Length	12,2 m
Width	3,0 m
Height	2,8 m
Weight	10 400 kg

*Note: includes boom straps, backstay straps.*


# Outline dimensions



## 12m No. 680 boom insert, extra heavy

Length	12,2 m
Width	3,0 m
Height	2,8 m
Weight	11 500 kg


*Note: includes boom straps, backstay straps.*



## 12 m No. 680 boom insert, heavy

Length	12,2 m
Width	3,0 m
Height	2,8 m
Weight	9600 kg


*Note: includes boom straps, backstay straps.*



## 6 m No. 680 boom insert, heavy

Length	6,3 m
Width	3,0 m
Height	2,8 m
Weight	5700 kg


*Note: includes boom straps, backstay straps.*



## 12 m No. 680 boom insert, medium with suspension

Length	12,2 m
Width	3,0 m
Height	2,8 m
Weight	8000 kg


*Note: includes boom straps, backstay straps.*



## 12 m No. 680 boom insert, medium

Length	12,2 m
Width	3,0 m
Height	2,8 m
Weight	7900 kg

*Note: includes boom straps, backstay straps.*




## 6 m No. 681 luffing jib butt

Length	6,4 m
Width	3,0 m
Height	2,7 m
Weight	5700 kg


*Note: includes jib stops.*

# Outline dimensions




12 m No. 681 luffing jib insert	
Length	12,3 m
Width	3,0 m
Height	2,8 m
Weight	5700 kg

*Note: includes jib straps.*




3 m No. 681 luffing jib insert	
Length	3,2 m
Width	3,0 m
Height	2,8 m
Weight	2100 kg

*Note: includes jib straps.*




6 m No. 681 luffing jib insert	
Length	6,3 m
Width	3,0 m
Height	2,8 m
Weight	3400 kg

*Note: includes jib straps.*




6 m No. 681-682 transition insert	
Length	6,3 m
Width	3,0 m
Height	2,8 m
Weight	4300 kg

*Note: includes jib straps.*




12 m No. 682 luffing jib insert	
Length	12,2 m
Width	2,5 m
Height (max)	2,3 m
Weight	5100 kg

*Note: includes jib straps.*



6 m No. 682 luffing jib insert	
Length	6,2 m
Width	2,5 m
Height	2,5 m
Weight	2900 kg


*Note: includes jib straps.*



2 m No. 681-682 luffing jib top	
Length	3,3 m
Width	2,5 m
Height (max)	2,8 m
Weight	7600 kg


*Note: includes (8) sheave pack, wire rope guide.*

# Outline dimensions




1 m No. 682 cap + extended upper boom point	
Length	11,5 m
Width	2,7 m
Height (max)	2,8 m
Weight	9400 kg

*Note: includes 2 sheave lower boom point in wind cap.*




12 m No. 684 mast lower mast insert	
Length	12,2 m
Width	2,5 m
Height (max)	2,8 m
Weight	5900 kg

*Note: includes backhitch and counterweight straps.*




12 m No. 684 mast upper mast insert	
Length	12,2 m
Width	2,5 m
Height (max)	2,8 m
Weight	6200 kg

*Note: includes backhitch and counterweight straps.*




No. 684 mast top + butt transport package	
Length	14,6 m
Width	2,6 m
Height	2,8 m
Weight	24 700 kg

*Note: includes boom hoist drum and equalizer.*



VPC-MAX™ actuator assembly	
Length	5,0 m
Width	1,2 m
Height	1,2 m
Weight	6300 kg



VPC-MAX™ beam assembly	
Length	11,2 m
Width	3,0 m
Height	1,2 m
Weight	21 200 kg

VPC-MAX™ aux member assembly	
Length	3,0 m
Width	2,4 m
Height	0,5 m
Weight	4300 kg