


PK 53002 SH


HIGH PERFORMANCE

More lifting power when it is really needed.


B




E



F




G




The outreaches stated are with a boom angle of 20° and are therefore not the maximum.

Lifting capacities

E PJ125E JV1 DPS PLUS



F PJ080C JV2 DPS PLUS



max.		17900 kg	39500 lbs
4.1 m	13' 5"	11800 kg	25900 lbs
5.8 m	19' 0"	8500 kg	18600 lbs
7.6 m	24' 11"	6500 kg	14300 lbs

A

max.		17500 kg	38600 lbs
4.2 m	13' 9"	11500 kg	25300 lbs
5.8 m	19' 0"	8200 kg	18100 lbs
7.6 m	24' 11"	6300 kg	13800 lbs
9.6 m	31' 6"	5000 kg	11000 lbs

B

max.		17200 kg	37900 lbs
4.2 m	13' 9"	11200 kg	24800 lbs
5.8 m	19' 0"	8000 kg	17500 lbs
7.6 m	24' 11"	6000 kg	13200 lbs
9.6 m	31' 6"	4750 kg	10500 lbs
11.6 m	38' 1"	3900 kg	8600 lbs

C

max.		16300 kg	36000 lbs
4.3 m	14' 1"	10800 kg	23700 lbs
6.0 m	19' 8"	7600 kg	16800 lbs
7.8 m	25' 7"	5700 kg	12600 lbs
9.7 m	31' 10"	4450 kg	9900 lbs
11.7 m	38' 5"	3650 kg	8000 lbs
13.9 m	45' 7"	3050 kg	6700 lbs

D

max.		15600 kg	34400 lbs
4.4 m	14' 5"	10400 kg	22900 lbs
6.1 m	20' 0"	7300 kg	16100 lbs
7.9 m	25' 11"	5500 kg	12000 lbs
9.8 m	32' 2"	4250 kg	9300 lbs
11.8 m	38' 9"	3400 kg	7500 lbs
14.0 m	45' 11"	2850 kg	6200 lbs
16.3 m	53' 6"	2450 kg	5400 lbs

E

max.		15000 kg	33100 lbs
4.5 m	14' 9"	10000 kg	22100 lbs
6.2 m	20' 4"	7000 kg	15500 lbs
8.0 m	26' 3"	5200 kg	11500 lbs
9.9 m	32' 6"	4000 kg	8900 lbs
11.9 m	39' 1"	3200 kg	7100 lbs
14.1 m	46' 3"	2650 kg	5800 lbs
16.4 m	53' 10"	2250 kg	4900 lbs
18.6 m	61' 0"	1940 kg	4300 lbs

F


max.		14700 kg	32400 lbs
4.5 m	14' 9"	9800 kg	21700 lbs
6.2 m	20' 4"	6900 kg	15100 lbs
8.0 m	26' 3"	5100 kg	11100 lbs
9.9 m	32' 6"	3850 kg	8500 lbs
12.0 m	39' 4"	3050 kg	6700 lbs
14.2 m	46' 7"	2450 kg	5400 lbs
16.4 m	53' 10"	2050 kg	4550 lbs
18.6 m	61' 0"	1780 kg	3900 lbs
20.8 m	68' 3"	1580 kg	3500 lbs
23.0 m*	75' 6"	900 kg	1980 lbs
25.0 m*	82' 0"	600 kg	1320 lbs

G

*mechanical extension

PERFECT DIMENSIONS

EXTENSION BOOM VARIATIONS



DIMENSIONS

