



Transportation


Transport dimensions



Track frame assembly



 13.744
each




Transportation

| Transport plan | | | | | | | |
|--|--------|---------------------------|---|---------------|---------------|---------------|---------------|
| | kg | Dimensions L x W x H |  | | | | |
| | | | 1 | 2 | 3 | 4 | 5 |
| Crane transporter (with 2 winches, boom, wire rope) | 48.410 | 15.78 m x 3.00 m x 3.23 m | X | | | | |
| Left track frame | 13.744 | 7.24 m x 1.16 m x 1.27 m | | X | | | |
| Right track frame | 13.744 | 7.24 m x 1.16 m x 1.27 m | | | X | | |
| Counterweight A | 10.590 | 1.27 m x 3.66 m x 1.18 m | | | | X | |
| Counterweight B - 1 piece | 10.590 | 1.24 m x 3.66 m x 0.47 m | | | | | X |
| Counterweight C - 1 piece | 2.642 | 1.03 m x 1.11 m x 0.47 m | | | | | X |
| Counterweight C - 1 piece | 2.642 | 1.03 m x 1.11 m x 0.47 m | | | | | X |
| Counterweight C - 1 piece | 2.642 | 1.03 m x 1.11 m x 0.47 m | | | | X | |
| Counterweight C - 1 piece | 2.642 | 1.03 m x 1.11 m x 0.47 m | | | | X | |
| Counterweight - Carbody - 1 piece | 4.536 | 0.95 m x 1.30 m x 0.87 m | | X | | | |
| Counterweight - Carbody - 1 piece | 4.536 | 0.95 m x 1.30 m x 0.87 m | | | X | | |
| Heavy lift jib | 1.040 | 4.40 m x 0.84 m x 1.52 m | | | | X | |
| Jib base section | 454 | 6.40 m x 0.72 m x 1.04 m | | | | X | |
| Jib point | 452 | 7.83 m x 0.47 m x 0.72 m | | | | X | |
| Jib insert | 477 | 7.14 m x 0.66 m x 1.02 m | | | | | X |
| Jib insert | 477 | 7.14 m x 0.66 m x 1.02 m | | | | | X |
| Auxiliary nose sheave | 135 | 1.24 m x 0.65 m x 0.89 m | | | | X | |
| Hook block - 120 t | 1.024 | 1.73 m x 0.58 m x 0.58 m | | X | | | |
| Overhaul ball - 12.5 t | 199 | 0.81 m x 0.30 m x 0.30 m | | | X | | |
| Miscellaneous items (crate) | 227 | 1.22 m x 0.91 m x 0.91 m | | | | X | |
| Total net weight on trailer (kg) | | | 48.410 | 19.304 | 18.479 | 18.190 | 16.831 |


Transportation

Transport dimensions


Main jib




Fly jib




Lattice jib insert



Heavy lift jib




Auxiliary nose sheave





Transportation

Transport dimensions


Configuration A



kg
10.590




Configuration segment B




kg
10.590




Configuration B




kg
21.180




Configuration segment C





kg
2.642



Configuration C



kg
31.750



Carbody counterweight – 2 pieces

kg
4.535

