


LOAD DIAGRAM

Diagramma di portata · Lastkurven · Courbes de charges · Curvas de cargas · Diagrama de carga · Диаграмма грузоподъёмности



① Maximum jib · Sbraccio massimo · Max. Ausleger · Flèche maxi. · Pluma maxima · Lança maxima · Максимальный вылет стрелы

② Minimum jib (in service) · Sbraccio minimo in servizio · Mindst. Ausleger in Betrieb · Flèche min. en service · Pluma minima en servicio · Lança minima em serviço · Минимальный вылет стрелы при работе

③ Minimum jib (out of service) · Sbraccio minimo in fuori servizio · Mindst. Ausleger außer Betrieb · Flèche min. hors service · Pluma minima fuera de servicio · Lança minima fora de serviço · Минимальный вылет стрелы в стационарном состоянии

67 AFCE 90



→	A (3,40 t)	B (2,75 t)
30 m	7	1
35 m	7	1
40 m	7	1
45 m	8	1
50 m	8	1
55 m	8	1
60 m	8	1



TEREX® | TC

Load Diagram - Diagramma di portata - Lastkurven - Courbes de charges - Curvas de cargas - Diagrama de carga - Диаграмма грузоподъёмности

		15 m	20 m	25 m	30 m	35 m	40 m	45 m	50 m	55 m	60 m
	9 t → 30,88 m t	9,00	9,00	9,00	9,00	7,47	6,04	4,93	4,04	3,31	2,70
	13,5 t → 22,24 m t	13,50	13,50	11,57	8,98	7,13	5,74	4,66	3,80	3,09	2,50
	9 t → 31,21 m t	9,00	9,00	9,00	9,00	7,62	6,21	5,10	4,22	3,50	
	13,5 t → 22,41 m t	13,50	13,50	11,72	9,15	7,31	5,93	4,86	4,00	3,30	
	9 t → 33,93 m t	9,00	9,00	9,00	9,00	8,62	7,11	5,94	5,00		
	13,5 t → 23,74 m t	13,50	13,50	12,65	9,96	8,05	6,61	5,49	4,60		
	18 t → 19,18 m t	18,00	17,12	13,01	10,26	8,31	6,84	5,69	4,60		
	9 t → 34,74 m t	9,00	9,00	9,00	9,00	8,91	7,38	6,20			
	13,5 t → 24,35 m t	13,50	13,50	13,06	10,34	8,39	6,93	5,80			
	18 t → 19,79 m t	18,00	17,78	13,57	10,76	8,75	7,25	5,90			
	9 t → 35,34 m t	9,00	9,00	9,00	9,00	9,00	7,60				
	13,5 t → 24,99 m t	13,50	13,50	13,49	10,74	8,77	7,30				
	18 t → 19,98 m t	18,00	17,98	13,78	10,98	8,98	7,30				
	9 t → 35,00 m t	9,00	9,00	9,00	9,00	9,00					
	13,5 t → 25,14 m t	13,50	13,50	13,50	10,86	8,90					
	18 t → 19,34 m t	18,00	17,32	13,29	10,60	8,50					
	9 t → 30,00 m t	9,00	9,00	9,00	9,00						
	13,5 t → 25,34 m t	13,50	13,50	13,50	11,00						
	18 t → 20,06 m t	18,00	18,00	13,93	11,00						

Jib and Tower Height Configurations - Configurazioni torre e braccio - Ausleger- und Turmkonfigurationen - Configurations de la flèche et du mât - Configuraciones de pluma y torre - Configuração de lança e altura de torre - Конфигурация башни и стрелы

	
30 m	1 + 2 + 6
35 m	1 + 2 + 5 + 6
40 m	1 + 2 + 3 + 6
45 m	1 + 2 + 3 + 5 + 6
50 m	1 + 2 + 3 + 4 + 6
55 m	1 + 2 + 4 + 3 + 5 + 6
60 m	1 + 2 + 4 + 3 + 5 + 5 + 6

	H		
	①	②	③
H1	H + 3,7 m	H + 26,0 m	H + 23,9 m
H2	H + 5,1 m	H + 31,1 m	H + 28,9 m
H3	H + 6,4 m	H + 36,3 m	H + 34,0 m
H4	H + 7,7 m	H + 41,5 m	H + 39,7 m
H5	H + 9,1 m	H + 46,6 m	H + 44,4 m
H6	H + 10,4 m	H + 51,8 m	H + 48,9 m
H7	H + 11,8 m	H + 56,9 m	H + 54,7 m

(*) Configurazione Tiro III

(**) Configurazione Tiro II

LOAD DIAGRAM

Diagramma di portata · Lastkurven · Courbes de charges · Curvas de cargas · Diagrama de carga · Схема нагрузок

TEREX POWER PLUS

		15 m	20 m	25 m	30 m	35 m	40 m	45 m	50 m	55 m	60 m	
	9 t → 32,37 m t	9,00	9,00	9,00	9,00	8,03	6,53	5,36	4,42	3,66	3,02	
	13,5 t → 23,28 m t	13,50	13,50	12,30	9,59	7,65	6,20	5,06	4,16	3,42	2,80	
	9 t → 32,96 m t	9,00	9,00	9,00	9,00	8,26	6,76	5,60	4,67	3,90		
	13,5 t → 23,64 m t	13,50	13,50	12,56	9,85	7,91	6,46	5,33	4,42	3,68		
	9 t → 36,16 m t	9,00	9,00	9,00	9,00	9,00	7,80	6,55	5,55			
	13,5 t → 25,26 m t	13,50	13,50	13,50	10,82	8,78	7,25	6,07	5,11			
	18 t → 20,42 m t	18,00	18,00	14,07	11,15	9,07	7,50	6,29	5,13			
	9 t → 37,21 m t	9,00	9,00	9,00	9,00	9,00	8,14	6,87				
	13,5 t → 26,05 m t	13,50	13,50	13,50	11,29	9,21	7,65	6,43				
	18 t → 21,19 m t	18,00	18,00	14,76	11,75	9,61	7,99	6,56				
	9 t → 38,05 m t	9,00	9,00	9,00	9,00	9,00	8,41					
	13,5 t → 26,89 m t	13,50	13,50	13,50	11,79	9,67	8,08					
	18 t → 21,51 m t	18,00	18,00	15,07	12,05	9,90	8,10					
	9 t → 35,00 m t	9,00	9,00	9,00	9,00	9,00						
	13,5 t → 27,17 m t	13,50	13,50	13,50	11,96	9,84						
	18 t → 20,89 m t	18,00	18,00	14,58	11,67	9,42						
	9 t → 30,00 m t	9,00	9,00	9,00	9,00							
	13,5 t → 27,49 m t	13,50	13,50	13,50	12,15							
	18 t → 21,77 m t	18,00	18,00	15,34	12,17							

T
P
P