



LAWN & GARDEN
TRACTORS & ZERO TURNS



THE SIMPLICITY[®] **DIFFERENCE**




Some people simply mow their grass. But, some people, like you, find passion in a manicured lawn. A passion and dedication that is a representation of who you are. It's more than cutting the grass, it's about being proud of the result. That's the Simplicity® difference.

At Simplicity, we deliver industry-leading results through premium and dependable equipment. We emphasize innovation that makes your life easier and yard work more comfortable. Our mission is to make you proud of your lawn and provide the equipment to make that happen. With a Simplicity tractor or zero turn mower, manicuring your lawn is no longer a chore. It's a luxury experience.







A CENTURY OF STRIPES

This year marks a century of achievement, dependable equipment, and a premium mowing experience. Simplicity's 100-year history has been filled with innovation, perseverance, and premium quality products. The company began by producing boring and grinding machines and took flight as the door to garden equipment opened. Whether a garden tractor or zero turn mower, the love for Simplicity mowers has been passed on through generations. While a tribute is paid to the past, a promising future of Simplicity awaits.


FIND YOUR DREAM MOWER

LAWN TRACTORS

Regent™	8
Broadmoor™	10
Conquest™	12
Prestige™	14

ZERO TURN MOWERS

Courier™	18
Courier™ XT	20
Contender™ XT	22
Citation XT™	24
Cobalt™	26
Cobalt™ LE	28



UNLOCK THE BEST LOOKING LAWN

The secret to lawn striping is in the mowing deck. All Simplicity Tractors feature a Free Floating™ Mower Deck with full-width rollers. The deck follows the contours of your lawn, reducing the risk of scalping, while the rollers bend the freshly cut grass down to deliver ballpark-like stripes.





PREMIUM COMFORT Select Simplicity tractors feature the automotive-inspired Suspension Comfort System.™ This two-point system delivers 25% less impact on the operator* when compared to traditional mowers.



SIMPLE CONVENIENCE Mowing the lawn doesn't have to be hard work. Features like power steering, push-button start and electric height-of-cut make mowing more enjoyable. Found on select models.



DEPENDABLE POWER A diverse offering of Briggs & Stratton® engines power Simplicity tractors. With durable components and reliable starting, these engines deliver power when it's needed most.

*Results of Suspension Comfort System depend on grass/yard conditions. Maximum speed varies by model.



REGENT LAWN TRACTOR

STRAIGHTFORWARD EXCELLENCE Any mower can cut grass, but if you want to take your mowing to the next level and transform your lawn, look no further than the Regent lawn tractor. The Regent offers premium features to upgrade both your lawn and the lawn mowing experience.



KEY FEATURES

FREE FLOATING MOWER DECK With stripe-laying rollers this exclusive deck moves independently from the rest of the mower to give a beautiful, scalp-free cut.

REAR SUSPENSION Feel 25% less impact¹ than a tractor without suspension. Select models.

ELECTRIC HEIGHT-OF-CUT Adapt to changing grass conditions with the simple touch of a switch.

AVAILABLE MODELS

38 in. deck / 23 gross hp² / 724cc
Briggs & Stratton PXi Series™ V-Twin

42 in. deck / 23 gross hp² / 724cc
Briggs & Stratton PXi Series V-Twin

48 in. deck / 25 gross hp² / 724cc /
Briggs & Stratton PXi Series V-Twin

44 in. deck / 25 gross hp² / 724cc / 
Briggs & Stratton PXi Series V-Twin

48 in. deck / 25 gross hp² / 724cc / 
Briggs & Stratton PXi Series V-Twin

ATTACHMENTS³

- Grass Catcher
- Tiller
- Dethatcher
- Dozer Blade
- Snow Blower
- Dump Cart

¹Results of Suspension Comfort System depend on grass/yard conditions. Maximum speed varies by model. ²All power levels are stated gross horsepower at 3600 rpm per SAE J1940 as rated by Briggs & Stratton. ³See page 33 for full list of available attachments. ⁴Data rates may apply. Go to www.simplicitymfg.com for terms and privacy information.



BROADMOOR LAWN TRACTOR

LUXURIOUS MOWING The Broadmoor lawn tractor has what it takes to create the best-looking lawn on the block. And by marrying performance features like Simplicity's Free Floating Mower Deck with comfort features, creating that masterpiece is more like a luxury experience than a chore.



KEY FEATURES

Includes key features of Regent, plus...

SUSPENSION COMFORT SYSTEM Breathable seat and rear suspension mean an operator feels 25% less impact¹ than a tractor without suspension. Select models.

POWER STEERING Reduce steering effort for a more enjoyable cutting or plowing experience.

AUTOMATIC CONTROLLED TRACTION™ Exclusive system that enables easier mowing in wet or unstable conditions by supplying extra power to both rear tires when one starts to slip.

AVAILABLE MODELS

44 in. deck / 23 gross hp² / 724cc
Briggs & Stratton PXi Series V-Twin with ReadyStart®

48 in. deck / 23 gross hp² / 724cc
Briggs & Stratton PXi Series V-Twin with ReadyStart

48 in. deck / 25 gross hp² / 724cc / 
Briggs & Stratton PXi Series V-Twin with ReadyStart

52 in. deck / 25 gross hp² / 724cc / 
Briggs & Stratton PXi Series V-Twin with ReadyStart

ATTACHMENTS³

- Grass Catcher
- Dethatcher
- Dozer Blade
- Snow Blower

¹Results of Suspension Comfort System depend on grass/yard conditions. Maximum speed varies by model. ²All power levels are stated gross horsepower at 3600 rpm per SAE J1940 as rated by Briggs & Stratton. ³See page 33 for full list of available attachments. ⁴Data rates may apply. Go to www.simplicitymfg.com for terms and privacy information.



CONQUEST YARD TRACTOR

UNLOCK MORE POSSIBILITIES A perfectly manicured lawn is just the start. With the Conquest garden tractor you can take care of the lawn and so much more. Engineered for productivity and compatible with a full line of attachments, this tractor easily transforms from tiller to hauler to lawn-stripping mower all while delivering performance and comfort.



KEY FEATURES

Includes key features of Broadmoor, plus...

POWERFUL COMPONENTS Heavy-duty Tuff-Torq® transmission, paired with an electric deck lift and the Quick Hitch™ Deck Removal System, give you the power and convenience to get the whole job done.

DIFFERENTIAL LOCK Automatic Controlled Traction with differential lock provide traction in the most demanding conditions.

DELUXE INSTRUMENT PANEL Including push-button start, fuel gauge, tachometer with “best cut” indication and maintenance reminders.

AVAILABLE MODELS

52 in. deck / 25 gross hp¹ / 724cc / 

Briggs & Stratton Commercial Series V-Twin with Cyclonic Technology

ATTACHMENTS²

- Grass Catcher
- Tiller
- Dozer Blade
- Snow Blower
- Dump Cart

¹All power levels are stated gross horsepower at 3600 rpm per SAE J1940 as rated by Briggs & Stratton. ²See page 33 for full list of available attachments. ³Data rates may apply. Go to www.simplicitymfg.com for terms and privacy information.



PRESTIGE GARDEN TRACTOR

UNRIVALED MOWING EXPERIENCE The Prestige is the ultimate garden tractor for those who don't compromise when it comes to the look of their yard. Powerful enough to tackle four-seasons of yard chores, the Prestige is also refined enough to deliver a luxury operating experience. A must-have for the true yard enthusiast.



KEY FEATURES

Includes key features of Conquest, plus...

COMMERCIAL SERIES ENGINE Electronic Fuel Injection (EFI) and cyclonic debris filter technology deliver on-demand engine starting and reliable power delivery.

BEST IN CLASS COMPONENTS Hydraulic attachment lift, Free Floating Mower Deck, power steering, and deluxe instrument panel come together for the most luxurious mowing experience.

PREMIUM SEAT 18-inch cut and sew seat pairs with Suspension Comfort System for all day comfort.

AVAILABLE MODELS

52 in. deck / 27 gross hp¹ / 810cc / 

Briggs & Stratton Commercial Series V-Twin with EFI Technology

ATTACHMENTS²

- Grass Catcher
- Tiller
- Dozer Blade
- Snow Blower
- Dump Cart

¹All power levels are stated gross horsepower at 3600 rpm per SAE J1940 as rated by Briggs & Stratton. ²See page 33 for full list of available attachments. ³Data rates may apply. Go to www.simplicitymfg.com for terms and privacy information.

COMMERCIALLY INSPIRED, COMFORT ENHANCING

The Suspension Comfort System found on our select line of premium zero turn mowers incorporate two or four point suspension for increased efficiency and a mowing experience that is second to none.





POWERFUL ENGINES Featuring a variety of Briggs & Stratton and Kawasaki® engines for dependable and capable power no matter the job. A variety of options include entry level engines all the way to a Vanguard® with Oil Guard™ Technology for longer periods between maintenance.



ENHANCED MANEUVERABILITY Independently controlled rear wheels allow for precise steering and creates a zero turn radius. An ideal solution for following the contours of flower beds or navigating around trees.



ADVANCED MOWING Innovative fabricated mower decks offer commercial-style performance with heavy-duty pulleys, greasable spindles and dual ball bearings. They provide a beautiful finishing touch with rear rollers (most models) and front gauge wheels for a smooth cut with stunning results.



COURIER ZERO TURN

COMPACT COMFORT & VERSATILITY Simplicity's entry-level zero turn is anything but basic. The Courier offers the performance and premium features to make quick work of your lawn. With a wide variety of deck sizes starting at 36 inches, there is a Courier for any property. Add the optional integrated cargo bed¹ and the Courier transforms into a versatile yard workhorse.



KEY FEATURES

ADDED VERSATILITY The optional cargo bed¹ allows you to carry equipment, dirt, mulch or anything else you may need when out in the yard.

DIVERSE MOWER DECKS Rugged, fabricated mower decks offer a variety of options to best fit your yard and mowing needs.

SCS The exclusive Suspension Comfort System means an operator feels 25%² less impact than a mower without suspension. Select models.

AVAILABLE MODELS

36 in. deck / 23 gross hp³ / 724cc

Briggs & Stratton PXi Series V-Twin

42 in. deck / 23 gross hp³ / 724cc / 

Briggs & Stratton PXi Series V-Twin

42 in. deck / 21.5 gross hp⁴ / 726cc / 

Kawasaki FR651 V-Twin

48 in. deck / 23 gross hp³ / 724cc / 

Briggs & Stratton PXi Series V-Twin

48 in. deck / 21.5 gross hp⁴ / 726cc / 

Kawasaki FR651 V-Twin

52 in. deck / 25 gross hp³ / 724cc / 

Briggs & Stratton PXi Series V-Twin

ATTACHMENTS⁵

- Mulcher Kit
- Cargo Bed Kit¹
- Grass Catcher
- Dump Cart

¹50 lb. capacity, do not overload; do not carry passengers. Optional on most models. See operator's manual for details.

²Results of Suspension Comfort System depend on grass/yard conditions. Maximum speed varies by model.

³All power levels are stated gross horsepower at 3600 rpm per SAE J1940 as rated by Briggs & Stratton. ⁴All power levels are stated gross horsepower per SAE J2723 as rated by Kawasaki.

⁵See page 33 for full list of available attachments. ⁶Data rates may apply. Go to www.simplicitymfg.com for terms and privacy information.



COURIER XT ZERO TURN

THE NEXT GENERATION OF PREMIUM MOWING Simplicity's newest zero turn, the Courier XT, gives you a bigger deck option and a commercial engine so you can manicure your lawn in less time. The luxury touches that Simplicity is famous for make mowing with the Courier XT so enjoyable that you may want to keep on going.



KEY FEATURES

Includes key features of Courier, plus...

SCS The exclusive Suspension Comfort System with pivoting front axle means an operator feels 25% less impact¹ than a mower without suspension. Select models.

ENHANCED COMPONENTS Confidently mow day or dusk with the standard integrated LED headlight, premium 18-inch cut & sew seat and improved engine protection.

COMMERCIALY-INSPIRED 22-inch rear tires and large front caster wheels add stability and traction, while the charge pumped Hydro-Gear® ZT-3100® transaxle delivers reliable power.

AVAILABLE MODELS

48 in. deck / 25 gross hp² / 724cc / 

Briggs & Stratton Commercial Series V-Twin with Cyclonic Technology

52 in. deck / 25 gross hp² / 724cc / 

Briggs & Stratton Commercial Series V-Twin with Cyclonic Technology

61 in. deck / 25 gross hp² / 724cc / 

Briggs & Stratton Commercial Series V-Twin with Cyclonic Technology

ATTACHMENTS³

- Mulcher Kit
- Grass Catcher
- Dump Cart

¹Results of Suspension Comfort System depend on grass/yard conditions. Maximum speed varies by model. ²All power levels are stated gross horsepower at 3600 rpm per SAE J1940 as rated by Briggs & Stratton.

³See page 33 for full list of available attachments. ⁴Data rates may apply. Go to www.simplicitymfg.com for terms and privacy information.



CONTENDER XT ZERO TURN

RESIDENTIAL PEDIGREE. PROSUMER POWER The Contender XT has the durability and performance of a commercial zero turn but with the comfort features that make mowing a joy for those who take pride in a well-mowed lawn. A Briggs & Stratton Commercial Series V-Twin powers the Contender XT while the upgraded high-back seat and suspension deliver a luxury automotive-like ride experience.



KEY FEATURES

Includes key features of Courier XT, plus...

STURDY CONSTRUCTION Upgraded 11-gauge steel frame adds durability and stability when handling demanding jobs.

CUT TO YOUR LAWN Easily adjust height-of-cut without heavy levers by simply pushing the foot pedal and moving the cut pin.

SCS The exclusive Suspension Comfort System with pivoting front axle and suspension seat mean an operator feels 25% less impact¹ than a mower without suspension. Select models.

AVAILABLE MODELS

52 in. deck / 25 gross hp² / 724cc / 

Briggs & Stratton Commercial Series V-Twin with Cyclonic Technology

61 in. deck / 25 gross hp² / 724cc / 

Briggs & Stratton Commercial Series V-Twin with Cyclonic Technology

ATTACHMENTS³

- Mulcher Kit
- Grass Catcher
- Dump Cart

¹Results of Suspension Comfort System depend on grass/yard conditions. Maximum speed varies by model. ²All power levels are stated gross horsepower at 3600 rpm per SAE J1940 as rated by Briggs & Stratton. ³See page 33 for full list of available attachments. ⁴Data rates may apply. Go to www.simplicitymfg.com for terms and privacy information.



CITATION XT ZERO TURN

COMMERCIALLY-INSPIRED, BUILT FOR YOU The Citation XT is engineered for performance and crafted for comfort. Big yards with big trees are no match for the large fabricated mower decks and commercial series engine. Intuitive controls and operation coupled with our Suspension Comfort System deliver a premium ride and the cut quality meets even the most demanding lawn enthusiast's exacting standards.



KEY FEATURES

Includes key features of Contender XT, plus...

COMMERCIAL SERIES ENGINE Electronic Fuel Injection and Electronic Throttle Control (ETC) give better fuel economy and immediate engine response in demanding conditions.

SMOOTHER CONTROL Designed for large applications Hydro-Gear ZT-3400® transaxles deliver smooth continuous torque and faster speeds.

SCS The exclusive Suspension Comfort System with pivoting front axle and suspension seat mean an operator feels 25% less impact¹ than a mower without suspension. Select models.

AVAILABLE MODELS

52 in. deck / 27 gross hp² / 810cc / 

Briggs & Stratton Commercial Series V-Twin with EFI & ETC Technology

61 in. deck / 27 gross hp² / 810cc / 

Briggs & Stratton Commercial Series V-Twin with EFI & ETC Technology

ATTACHMENTS³

- Mulcher Kit
- Grass Catcher
- Dump Cart

¹Results of Suspension Comfort System depend on grass/yard conditions. Maximum speed varies by model. ²All power levels are stated gross horsepower at 3600 rpm per SAE J1940 as rated by Briggs & Stratton.

³See page 33 for full list of available attachments. ⁴Data rates may apply. Go to www.simplicitymfg.com for terms and privacy information.



COBALT ZERO TURN

OUTPERFORM THE COMPETITION The Cobalt pairs an upgraded Vanguard commercial engine with features that allow you to mow faster and with confidence. One of the fastest units we offer, the Cobalt is your key to increased productivity while delivering a professional-quality cut you can take pride in.



KEY FEATURES

Includes key features of Citation XT, plus...

VANGUARD ENGINE Electronic Fuel Injection and Oil Guard give consistent starting and 5-year¹ oil change interval.

LONG RUN TIME Commercial grade twin 5.5 gallon fuel tanks mean longer run times and less time spent filling up.

SCS The adjustable Suspension Comfort System with pivoting front axle and premium suspension seat mean an operator feels 25% less impact² than a mower without suspension. Select models.

AVAILABLE MODELS

61 in. deck / 28 gross hp³ / 810cc /  Vanguard V-Twin with EFI & Oil Guard Technology

ATTACHMENTS⁴

- Mulcher Kit
- Grass Catcher
- Dump Cart

¹Based on average residential usage. Only available on models with Oil Guard and does not extend the warranty period. Required oil change interval is 500 hours.

²Results of Suspension Comfort System depend on grass/yard conditions. Maximum speed varies by model. ³All power levels are stated gross horsepower at 3600 rpm per SAE J1940 as rated by Briggs & Stratton.

⁴See page 33 for full list of available attachments. ⁵Data rates may apply. Go to www.simplicitymfg.com for terms and privacy information.



COBALT LE ZERO TURN

UNPARALLELED PERFORMANCE When you're ready for the best, it's time to upgrade to the Cobalt LE for the ultimate zero turn experience. It features our biggest deck and an engine typically reserved for commercial machines, which means no lawn is too big. Professional landscapers will be jealous of this feature-packed mower and your neighbors will be envious of the perfect lawn it leaves behind.



KEY FEATURES

Includes key features of Cobalt, plus...

ENHANCED COMFORT A 22-inch suspension seat pair with the full, adjustable Suspension Comfort System to give the ultimate mowing experience in both speed and luxury.

VANGUARD BIG BLOCK™ ENGINE Heavy-duty power with Electronic Fuel Injection and Oil Guard give consistent starting and 500-hour¹ oil change interval.

MOW WITH SPEED Professional grade Hydro-Gear ZT-5400 Powertrain® transaxles deliver unmatched durability and power, with a top speed of 12 mph.

AVAILABLE MODELS

61 in. deck / 37 gross hp² / 993cc / 
Vanguard BIG BLOCK V-Twin with EFI & Oil Guard Technology

72 in. deck / 37 gross hp² / 993cc / 
Vanguard BIG BLOCK V-Twin with EFI & Oil Guard Technology

ATTACHMENTS³

- Mulcher Kit
- Grass Catcher
- Dump Cart

¹Based on average residential usage. Only available on models with Oil Guard and does not extend the warranty period. Required oil change interval is 500 hours.

²All power levels are stated gross horsepower at 3600 rpm per SAE J1940 as rated by Briggs & Stratton.

³See page 33 for full list of available attachments. ⁴Data rates may apply. Go to www.simplicitymfg.com for terms and privacy information.



MORE THAN JUST MOWING

SIMPLICITY ATTACHMENTS There's a lot more to yard care than cutting the grass. Simplicity tractor and zero turn attachments help you collect, haul or sweep your way to a beautiful lawn. Product compatibility will vary, see page 33 for details.

CATCHERS & COLLECTION SYSTEMS

MULCHER KIT Our innovative system reduces grass clippings and returns them to your lawn for healthier growth and a cleaner finish.

TWIN BAG GRASS CATCHER With both standard and Turbo kit options, the twin catcher has a 6.5-bushel capacity.

TRIPLE BAG GRASS CATCHER With both standard and Turbo kit options, the triple catcher has a 10-bushel capacity.

TURBO ATTACHMENT Get direct power from your mower to quickly and easily drive collection of leaves and debris.

GROUND-ENGAGING

DETHATCHER Tow-behind dethatcher easily pulls lawn thatch to the surface for easy cleanup and improved lawn health.

DOZER BLADE Adjustable, spring-loaded or hydraulic blade makes quick work of snow, gravel or dirt.

TILLER Gas-powered tow-behind tiller for easy soil prep.

MULTI-PURPOSE

HITCH KIT Creates an attachment point for a dump cart or other standard towable items.

LED HEADLIGHT KIT Enable dusk or night mowing with a high powered LED headlight kit.

CARGO BED¹ KIT Add versatility with the 50-pound capacity cargo bed.

DUMP CART Sturdy, 10-cubic feet multi-purpose cart is easy to attach and perfect for a variety of yard chores.

TIRE CHAINS Enhance traction on your mower with front tractor attachments or when in slippery conditions.

SNOW REMOVAL

SINGLE-STAGE SNOW BLOWER 42-inch single stage snow blower is perfect for light snowfall.

TWO-STAGE SNOW BLOWER Heavy-duty 42-inch dual-stage snow blower makes quick work of heavy snowfall.

SOFT SNOW CAB Stay out of the elements with the vinyl soft side snow cab with a shatterproof, non-fogging polycarbonate front window.

¹50 lb. capacity, do not overload; do not carry passengers. See operator's manual for details.



TRACTORS		REGENT	BROADMOOR	CONQUEST	PRESTIGE
CATCHERS & COLLECTION SYSTEMS	ATTACHMENT				
	Mulcher Kit	Fits All Models			
	Turbo	Fits 38", 44", 48" Models	Fits All Models		
	Twin Bag Catcher ¹ - 6.5 bu.	Standard - Fits 38", 42" Models	N / A		
GROUND ENGAGING ATTACHMENTS	Triple Bag Catcher ¹ - 10 bu.	Standard - Fits 44", 48" Models	Standard & Premium - Fits All Models		
	Tiller - Gas Powered Tow Behind	36" - Fits All Models	N / A	36" - Fits All Models	
	Deethatcher - Tow Behind	40" - Fits All Models		N / A	
MULTI-PURPOSE ATTACHMENTS	Dozer Blade ²	42" - Fits All Models Includes Hitch & Lift Lever	48" - Fits All Models		
	Weight Carrier	Rear: 33-lb - Fits All Models	Front: 50-lb Rear: 33-lb - Fits All Models		
	Tire Chains	Fits All Models			
	Dump Cart - 10-cu. ft.	Fits All Models			
SNOW REMOVAL ATTACHMENTS	Rear Wheel Weights - Two Required	31-lb Each - Fits All Models		50-lb Each - Fits All Models	
	Single-Stage Snow Blower ²	42" - Fits All Models Includes Hitch & Lift Lever	42" - Fits All Models		
	Two-Stage Snow Blower ²	N / A	42" - Fits All Models		
	Soft Side Snow Cab	Fits All Models			

ZERO TURN MOWERS		COURIER	COURIER XT	CONTENDER XT	CITATION XT	COBALT/LE
CATCHERS & COLLECTION SYSTEMS	ATTACHMENT					
	Mulcher Kit	Fits All Models				
	Turbo	Fits 52" Model	Fits All Models	N / A - Included with Catcher		
	Twin Bag Catcher ¹ - 6.5 bu	Clean Sweep - Fits All Models		Turbo-Pro - Fits All Models	N / A	
MULTI-PURPOSE ATTACHMENTS	Triple Bag Catcher ¹ - 10 bu	N / A			Turbo-Pro - Fits All Models	Turbo-Pro - Fits 61" Models
	Hitch Kit	Standard	Standard	Fits All Models		
	LED Headlight Kit	Fits All Models	Standard	Fits All Models		
	Cargo Bed Kit ³	Standard on Most Models ⁴	N / A			
	Dump Cart - 10-cu. ft.	Fits All Models				

¹ Requires Deck Boot Adapter or Turbo. Some collection kits are available with or without Turbo. See dealer for details. ² Requires tire chains and rear weights.
³ 50 lb. capacity, do not overload; do not carry passengers. See operator's manual for details. ⁴ Fits Models 2691519/57/58; Standard on 2691659/60/61.

REGENT

MODEL	23 / 38	23 / 42	25 / 48	25 / 44	25 / 48
PART NUMBER	2691454	2691455	2691456	2691668	2691669
ENGINE					
Make / Model	Briggs & Stratton® PXi Series™ V-Twin				
Start Type	Electric, Key				
Power Rating / Cylinders	23 gross hp ¹ / 2		25 gross hp ¹ / 2		
Engine Displacement (cc)	724				
Choke / Throttle	Choke-A-Matic, Single-Lever				
Fuel Tank Capacity (U.S. Gallons)	3.5				
Battery (cca)	230				
TRANSMISSION					
Transaxle Make / Model	Tuff Torq® K46 Hydrostatic				
Differential Lock	N / A				
Speed – Fwd / Rev (mph)	0-5.5 / 0-3				
Automatic Controlled Traction™	N / A				
Drive Type	Rear-Wheel 2WD				
Brake	Disc				
CHASSIS					
Suspension	N / A			Rear	
Frame Steel	12-Gauge				
Front Axle	Cast-Iron				
Front Tires (inches)	15 x 6 - 6				
Rear Tires (inches)	20 x 8 - 8 / Turf	20 x 10 - 8 / Turf	22 x 10 - 8 / Turf		
Seat	15" Mid-Back Vinyl			15" Premium Cut & Sew	
MOWER DECK					
Cutting Width (inches) / # of Blades	38 / 2	42 / 2	48 / 3	44 / 3	48 / 3
Mower Deck Type	Deep Profile - Free Floating™ w/ Quick Hitch™	Fabricated - Free Floating™ w/ Quick Hitch™		Deep Profile - Free Floating™ w/ Quick Hitch™	Fabricated - Free Floating™ w/ Quick Hitch™
Mower Deck Steel	12-Gauge		10-Gauge	12-Gauge	10-Gauge
Mower Deck Lift	Manual Lever				
Rear Rollers	Standard, Full-Width Striping				
Blade Engagement	Electric PTO Switch				
Height-of-Cut (inches)	1.75 - 4.0	1.5 - 3.75	1.5 - 4.0	1.5 - 3.75	1.5 - 4.0
Height-of-Cut Positions	Infinite / Electric				
Spindle	Cast-Aluminum w/ Zerk Fittings				
Washout Port	N / A	Standard		N / A	Standard
FEATURES					
Turning Radius (inches)	14				
Steering	Manual				
Monitoring Instruments	Sight Fuel Gauge & Hour Meter				
Cruise Control	Standard				
Headlights	Standard, LED				
12 Volt DC Outlet	N / A				
Cup Holder	Standard				
Hand Grip	N / A				
Dimensions* - L x W x H (inches)	71 x 50 x 46	71 x 53 x 46	71 x 59 x 46	72 x 54 x 47	72 x 59 x 47
LIMITED WARRANTY²					
Residential	3-Years, Unlimited Hours				
Commercial	90-Days				
Fabricated Mower Deck	N / A	Lifetime to Original Purchaser**		N / A	Lifetime to Original Purchaser**

UPGRADES NOTED IN ORANGE

¹ All power levels are stated gross horsepower at 3600 rpm per SAE J1940 as rated by Briggs & Stratton.

² See operator's manual or www.simplicitymfg.com for complete warranty details. Length of engine warranty coverage varies by manufacturer.

*Width measured with side-deflector down.

BROADMOOR

CONQUEST

PRESTIGE

23 / 44		23 / 48		25 / 48		25 / 52		25 / 52		27 / 52	
2691670		2691671		2691673		2691674		2691676		2691678	
Briggs & Stratton® PXi Series™ V-Twin						Briggs & Stratton® Commercial Series V-Twin, Cyclonic & EFI Technology			Briggs & Stratton® Commercial Series V-Twin, Cyclonic & EFI Technology		
Electric, Push Button						Electric, Push Button			Electric, Push Button		
23 gross hp ¹ / 2				25 gross hp ¹ / 2		25 gross hp ¹ / 2		27 gross hp ¹ / 2			
724				724		724		810			
ReadyStart® Single Lever						No Choke, Single Lever			No Choke, Single Lever		
3.6				3.6		3.6		3.6			
230				230		350		350			
Tuff Torq® K57 Hydrostatic						Tuff Torq® K62 Hydrostatic			Tuff Torq® K66 Hydrostatic		
N / A						Standard			Standard		
0-5.8 / 0-3.5				0-6.7 / 0-4		0-7.2 / 0-5		0-8.7 / 0-3			
Standard						Standard			Standard		
Rear-Wheel 2WD						Rear-Wheel 2WD			Rear-Wheel 2WD		
Disc						Disc			Disc		
N / A						Suspension Comfort System™ (Rear)			Suspension Comfort System™ (Rear)		
10-Gauge						10-Gauge			10-Gauge		
Cast-Iron						Cast-Iron			Cast-Iron		
15 x 6 - 6 / Turf				16 x 6.5 - 8 / Turf		16 x 6.5 - 8 / Turf		16 x 6.5 - 8 / Turf			
22 x 10 - 10 / Turf				23 x 10.5 - 12 / Turf				23 x 10.5 - 12 / Turf		23 x 10.5 - 12 / Field Trac	
High-Back Mesh						18" High-Back Cut & Sew w/o Armrests			18" High-Back Cut & Sew w/Armrests		
44 / 3		48 / 3		48 / 3		52 / 3		52 / 3		52 / 3	
Deep Profile - Free Floating™ w/ Quick Hitch™		Fabricated - Free Floating™ w/ Quick Hitch™						Fabricated - Free Floating™ w/ Quick Hitch™		Fabricated - Free Floating™ w/ Quick Hitch™	
12-Gauge		10-Gauge						12-Gauge		10-Gauge	
Manual Lever				Integrated Hydraulic Dash Lever				Integrated Hydraulic Dash Lever		Integrated Hydraulic Dash Lever	
Standard, Full-Width Striping						Standard, Full-Width Striping			Standard, Full-Width Striping		
Electric PTO Switch						Electric PTO Switch			Electric PTO Switch		
1.5 - 4.0				1.25 - 4.5				1.25 - 4.5		1.25 - 4.5	
Infinite / Electric						Infinite / Electric			Infinite / Electric		
Cast-Aluminum w/ Zerk Fittings				Commercial Aluminum w/ Zerk Fittings				Commercial Aluminum w/ Zerk Fittings		Commercial Aluminum w/ Zerk Fittings	
Standard						Standard			Standard		
18						18			18		
Manual		Power Steering						Power Steering		Power Steering	
Digital Fuel Gauge, Hour Meter, Clock & Maintenance Monitor						Deluxe Instrument Panel			Deluxe Instrument Panel		
Standard						Standard			Standard		
Standard, LED						Standard, LED			Standard, LED		
Standard						Standard			Standard		
Standard						Standard			Standard		
Standard						Standard			Standard		
75 x 54 x 47		75 x 59 x 47		79 x 60 x 47		76 x 63 x 48		78 x 63 x 48		78 x 63 x 48	
3-Years, Unlimited Hours						3-Years, Unlimited Hours			3-Years, Unlimited Hours		
90-Days						90-Days			90-Days		
N / A		Lifetime to Original Purchaser**						Lifetime to Original Purchaser**		Lifetime to Original Purchaser**	

** For the first year of the consumer-use warranty period (90-days commercial-use), the mower housing is warranted against surface rust and corrosion, which is defined as any rust or corrosion that has penetrated the paint but has not penetrated the metal structure. For the entire term of the consumer-use warranty period (90-days commercial-use), the mower housing is warranted against rust-through, which is defined as rust or corrosion that has penetrated completely through the paint and the housing. The warranty does not include blades, spindles, belts, brake pads, shields or guards, attachment brackets or hardware, height-of-cut components, or other parts installed on the mower housing.

COURIER

	MODEL	23 / 36	23 / 42	21 / 42	23 / 48
	PART NUMBER	2691519	2691657	2691658	2691659
ENGINE	Make / Model	Briggs & Stratton® PXi Series™		Kawasaki® FR651 V-Twin OHV	Briggs & Stratton® PXi Series™
	Start Type	Electric, Key			
	Power Rating / Cylinders	23 gross hp ¹ / 2		21.5 gross hp ² / 2	23 gross hp ¹ / 2
	Engine Displacement (cc)	724		726	724
	Choke / Throttle	ReadyStart®, Single Lever		Separate Choke	ReadyStart®, Single Lever
	Fuel Tank Capacity (U.S. Gallons)	3			
	Battery (cca)	230			
TRANSMISSION	Dual Transaxle Make / Model	Hydro-Gear® EZT®			
	Speed – Fwd / Rev (mph)	0-6 / 0-3	0-7 / 0-4		
	Brake	Cog Style			
CHASSIS	Suspension	N / A	S, Front	Suspension Comfort System™ (Front & Rear)	
	Frame Steel	10-Gauge	12-Gauge		
	Front Axle	Steel Fixed	Steel Pivoting		
	Front Casters (inches)	11 x 4 - 5 / 4-Ply Smooth	11 x 6.0 - 5 / 4-Ply Smooth		
	Rear Tires (inches)	18 x 6.5 - 8 / Turf	20 x 8.0 - 8 / Turf		
	Seat	15" Mesh			
	MOWER DECK	Cutting Width (inches) / # of Blades	36 / 2	42 / 2	
Mower Deck Type		Fabricated			
Mower Deck Steel		12-Gauge		10-Gauge	
Mower Deck Lift		Mechanical, Foot & Lever	Mechanical, Foot Pedal		
Rear Rollers		Standard			
Anti-Scalp Wheels		N / A			2-Front
Blade Engagement		Electric PTO Switch			
Height-of-Cut (inches)		1.5 - 4.5			
Height-of-Cut Positions		7	13		
Spindle		Aluminum w/ Grease Zerk			
Washout Port		Standard			
FEATURES		Cargo Bed ⁴	Optional		
	Monitoring Instruments	Sight Fuel Gauge & Hour Meter			Fuel Gauge & Hour Meter
	Headlights	Optional			
	Cup Holder	Standard, 1	Standard, 2		
	Rear Bumper	Steel			
	Dimensions* - L x W x H (inches)	70 x 50 x 43	72 x 55 x 42		72 x 59 x 42
LIMITED WARRANTY²	Residential	3-Years, Unlimited Hours			
	Commercial	90-Days			
	Fabricated Mower Deck	Lifetime to Original Purchaser**			

UPGRADES NOTED IN ORANGE

COURIER XT

21 / 48	25 / 52	25 / 48	25 / 52	25 / 61
2691660	2691661	2691952	2691814	2691815
Kawasaki® FR651 V-Twin OHV	Briggs & Stratton® PXi Series™ V-Twin OHV	Briggs & Stratton® Commercial Series V-Twin, Cyclonic & EFM Technology		
Electric, Key		Electric, Key		
21.5 gross hp ² / 2	25 gross hp ¹ / 2	25 gross hp ¹ / 2		
726	724	724		
Separate Choke, Single Lever	ReadyStart® Single Lever	Separate Choke, Single Lever		
3		3		
230		230		
Hydro-Gear® EZT®	Hydro-Gear® ZT-2800	Hydro-Gear® ZT-2800® w/ Charge Pumps	Hydro-Gear® ZT-3100® w/ Charge Pumps	
0-7 / 0-4	0-8 / 0-4	0-8.5 / 0-4		
Cog Style	Internal	Internal		
Suspension Comfort System™ (Front & Rear)		Suspension Comfort System™ (Front & Rear)		
12-Gauge		10-Gauge and Doubler Plate		
Steel Pivoting		Steel Pivoting		
11 x 6.0 - 5 / 4-Ply Smooth		13 x 6.5 - 6 / 4-Ply Smooth		
20 x 10.0 - 8 / Turf	20 x 10.0 - 10 / Turf	22 x 10.0 - 10 / Turf	22 x 11.0 - 10 / Turf	
15" Mesh		18" Premium Cut & Sew		
48 / 3	52 / 3	48 / 3	52 / 3	61 / 3
Fabricated		Fabricated		
12-Gauge	10-Gauge	10-Gauge & Doubler Plate		
Mechanical, Foot Pedal		Mechanical, Foot Pedal		
Standard		Standard		
2-Front		2-Front	4-Front	
Electric PTO Switch		Electric PTO Switch		
1.5 - 4.5		1.5 - 4.5		
13		13		
Aluminum w/ Grease Zerk		Aluminum w/ Grease Zerk		
Standard		N / A		
Standard		N / A		
Fuel Gauge & Hour Meter		Fuel Gauge & Hour Meter		
Optional		Standard, LED		
Standard, 2		Standard, 2		
Steel		Steel, Enhanced Design		
72 x 59 x 42	72 x 65 x 43	78.5 x 59 x 49	78.5 x 64 x 48	80 x 74 x 48
3-Years, Unlimited Hours		3-Years, Unlimited Hours		
90-Days		90-Days		
Lifetime to Original Purchaser**		Lifetime to Original Purchaser**		

¹ All power levels are stated gross horsepower at 3600 rpm per SAE J1940 as rated by Briggs & Stratton.

² All power levels are stated gross horsepower per SAE J2723 as rated by Kawasaki.

³ See operator's manual or www.simplicitymfg.com for complete warranty details. Length of engine warranty coverage varies by manufacturer.

⁴ 50-lb. capacity, do not overload; do not carry passengers. Optional on most models. See operator's manual for details.

* Width measured with side-deflector down.

** For the first year of the consumer-use warranty period (90-days commercial-use), the mower housing is warranted against surface rust and corrosion, which is defined as any rust or corrosion that has penetrated the paint but has not penetrated the metal structure. For the entire term of the consumer-use warranty period (90-days commercial-use), the mower housing is warranted against rust-through, which is defined as rust or corrosion that has penetrated completely through the paint and the housing. The warranty does not include blades, spindles, belts, brake pads, shields or guards, attachment brackets or hardware, height-of-cut components, or other parts installed on the mower housing.

CONTENDER XT

CITATION XT

	MODEL	25 / 52	25 / 61	27 / 52	
	PART NUMBER	5901743	5901744	5901954	
ENGINE	Make / Model	Briggs & Stratton® Commercial Series V-Twin, Cyclonic & EFM Technology		Briggs & Stratton® Commercial Series V-Twin, EFI & ETC Technology	
	Start Type	Electric, Key		Electric, Key	
	Power Rating / Cylinders	25 gross hp ¹ / 2		27 gross hp ¹ / 2	
	Engine Displacement (cc)	724		810	
	Choke / Throttle	Separate Controls		Separate Controls	
	Fuel Tank Capacity (U.S. Gallons)	5.5		5.5	
	Battery (cca)	300		350	
TRANSMISSION	Dual Transaxle Make / Model	Hydro-Gear® ZT-3200™		Hydro-Gear® ZT-3400®	
	Speed – Fwd / Rev (mph)	0.9 / 0.4		0.10 / 0.5	
	Brake	Internal		Internal	
CHASSIS	Suspension	Suspension Comfort System™ (Front & Rear)		Suspension Comfort System™ (Front & Rear)	
	Frame Steel	11-Gauge		11-Gauge	
	Front Axle	Steel Pivoting		Steel Independent Pivoting	
	Front Casters (inches)	13 x 6.5 - 6 / 4-Ply Smooth		13 x 6.5 - 6 / 4-Ply Smooth	
	Rear Tires (inches)	22 x 11.0 - 10 / Turf		23 x 10.5 - 12 / 4-Ply Turf	
	Seat	18" High-Back Cut & Sew	18" Suspension High-Back	18" Suspension High-Back	
	MOWER DECK	Cutting Width (inches) / # of Blades	52 / 3	61 / 3	52 / 3
Mower Deck Type		Fabricated		Fabricated	
Mower Deck Steel		10-Gauge		10-Gauge	
Mower Deck Lift		Mechanical, Foot Pedal		Mechanical, Foot Pedal	
Rear Rollers		Standard		Standard	
Anti-Scalp Wheels		4-Front		2-Front	
Blade Engagement		Electric PTO Switch		Electric PTO Switch	
Height-of-Cut (inches)		1.5 - 4.5	1.5 - 5.0	1.5 - 5.0	
Height-of-Cut Positions		15		16	
Spindle		Aluminum w/ Grease Zerk		Aluminum w/ Grease Zerk	
Washout Port		N / A		N / A	
Cargo Bed ³		N / A		N / A	
FEATURES		Monitoring Instruments	Fuel Gauge & Hour Meter		Fuel Gauge & Hour Meter
	Headlights	Optional		Optional	
	Cup Holder	Standard, 2		Standard, 2	
	Rear Bumper	Steel		Steel	
	Roll Over Protection System (ROPS)	Standard, Folding		Standard, Folding	
	Dimensions* - L x W x H (inches)	81 x 68 x 68	81 x 77 x 68	81 x 68 x 68	
	LIMITED WARRANTY²	Residential	4-Years or 500 Hours, whichever occurs first		4-Years or 500 Hours, whichever occurs first
		Commercial	4-Years or 500 Hours, whichever occurs first		4-Years or 500 Hours, whichever occurs first
Fabricated Mower Deck		Lifetime to Original Purchaser**		Lifetime to Original Purchaser**	

UPGRADES NOTED IN ORANGE

COBALT

COBALT LE

27 / 61	28 / 61	37 / 61	37 / 72
5901984	5901748	5901798	5901799
Briggs & Stratton® Commercial Series V-Twin, EFI & ETC Technology	Vanguard® 810 V-Twin, EFI & Oil Guard™ Technology	Vanguard® BIG BLOCK™ V-Twin, EFI & Oil Guard™ Technology	
Electric, Key	Electric, Key	Electric, Key	
27 gross hp ¹ / 2	28 gross hp ¹ / 2	37 gross hp ¹ / 2	
810	810	993	
Separate Controls	Single Control	Single Control	
5.5	11 (Twin 5.5 Gallon Tanks)	11 (Twin 5.5 Gallon Tanks)	
350	350	350	
Hydro-Gear® ZT-3400®	Hydro-Gear® ZT-4400®	Hydro-Gear® ZT-5400 Powertrain™	
0-10 / 0-5	0-10 / 0-5	0-12 / 0-6	
Internal	Internal	Internal	
Suspension Comfort System™ (Front & Rear)	Suspension Comfort System™ (Front & Rear)	Suspension Comfort System™ (Front & Rear)	
11-Gauge	11-Gauge	11-Gauge	
Steel Independent Pivoting	Steel Independent Pivoting	Steel Independent & Adjustable Pivoting	
13 x 6.5 - 6 / 4-Ply Smooth	13 x 6.5 - 6 / 4-Ply Smooth	13 x 6.5 - 6 / 4-Ply Smooth	
23 x 10.5 - 12 / 4-Ply Turf	24 x 12.0 - 12 / Turf Smart	26 x 12.0 - 12 / Turf Smart	
18" Suspension High-Back	22" Suspension High-Back	22" Suspension High-Back w/ Headrest	
61 / 3	61 / 3	61 / 3	72 / 3
Fabricated	Fabricated	Fabricated	
10-Gauge	10-Gauge	10-Gauge	
Mechanical, Foot Pedal	Mechanical, Foot Pedal	Mechanical, Foot Pedal	
Standard	Standard	N / A	
6-Front	6-Front	3-Front	
Electric PTO Switch	Electric PTO Switch	Electric PTO Switch	
1.5 - 5.0	1.5 - 5.0	1.5 - 5.0	
16	16	16	
Aluminum w/ Grease Zerk	Cast-Iron w/ Grease Zerk	Cast-Iron w/ Grease Zerk	
N / A	N / A	N / A	
N / A	N / A	N / A	
Fuel Gauge & Hour Meter	Fuel Gauge & Hour Meter	Fuel Gauge & Hour Meter	
Optional	Optional	Optional	
Standard, 2	Standard, 2	Standard, 2	
Steel	Steel	Steel	
Standard, Folding	Standard, Folding	Standard, Folding	
81 x 77 x 68	82.5 x 78 x 71	84.5 x 78 x 72	86 x 87 x 72
4-Years or 500 Hours, whichever occurs first	4-Years or 500 Hours, whichever occurs first	4-Years or 500 Hours, whichever occurs first	
4-Years or 500 Hours, whichever occurs first	4-Years or 500 Hours, whichever occurs first	4-Years or 500 Hours, whichever occurs first	
Lifetime to Original Purchaser**	Lifetime to Original Purchaser**	Lifetime to Original Purchaser**	

¹ All power levels are stated gross horsepower at 3600 rpm per SAE J1940 as rated by Briggs & Stratton.

² See operator's manual or www.simplicitymfg.com for complete warranty details. Length of engine warranty coverage varies by manufacturer.

³ 50-lb. capacity, do not overload; do not carry passengers. Optional on most models. See operator's manual for details.

* Width measured with side-deflector down.

** For the first year of the consumer-use warranty period (90-days commercial-use), the mower housing is warranted against surface rust and corrosion, which is defined as any rust or corrosion that has penetrated the paint but has not penetrated the metal structure. For the entire term of the consumer-use warranty period (90-days commercial-use), the mower housing is warranted against rust-through, which is defined as rust or corrosion that has penetrated completely through the paint and the housing. The warranty does not include blades, spindles, belts, brake pads, shields or guards, attachment brackets or hardware, height-of-cut components, or other parts installed on the mower housing.



simplicitymfg.com

 **TEXT BROCHURE TO 33988**
FOR A DIGITAL VERSION OF THIS BROCHURE
DATA RATES MAY APPLY.



Hydro-Gear® is a registered trademark of Hydro-Gear Inc. and is used under license.
Kawasaki® is a registered trademark of Kawasaki Motors Corporation.

Briggs & Stratton: All power levels are stated gross horsepower at 3600 rpm per SAE J1940.

Kawasaki: Only Kawasaki Critical Power engines listed in this brochure have been tested in accordance with SAE J1995, verified by TÜV Rheinland Group, horsepower-rated in accordance with SAE J2723, and certified by SAE International. Torque ratings of these engines were not certified by SAE. Actual power and torque output will vary depending on numerous factors, including, but not limited to, the operating speed of the engine in application, environmental conditions, maintenance, and other variables.

Briggs & Stratton has a policy of continuous product improvement and reserves the right to modify its specifications at any time and without prior notice. Products may vary from images shown.

BRIGGS & STRATTON
MILWAUKEE, WI 53201-0702 USA
(414) 259-5333
Copyright ©2022. All rights reserved.