

**WORLD
PROVEN**
WORLD CLASS



2023



WORLDLAWN®
POWER EQUIPMENT

BELT DRIVEN WALK BEHIND

FEATURES

- 2-year commercial warranty
- Ergonomically designed hand grips and controls
- Recoil and electric start options
- Easy pull pin height adjustment on floating deck
- Great for hard-to-reach, narrow spaces
- Discharge, mulch, or collect

WY MODELS

2YEAR
PARTS & LABOR
LIMITED
DECK **10**
WARRANTY YEAR



Walk Behind | Grass Catcher

28" WALK BEHINDS

MODEL NUMBER	WY28X11BS	WY28X11BSE	WY28X11HD
LENGTH	60.5"	60.5"	60.5"
WIDTH	38"	38"	38"
WIDTH W/ DEFLECTOR UP	30"	30"	30"
WHEELBASE	28.1"	28.1"	28.1"
WHEEL TRACK WIDTH	22.6"	22.6"	22.6"
WEIGHT	314 lbs	347 lbs	324 lbs
FRONT TIRES	8 - 3.00 x 4 smooth	8 - 3.00 x 4 smooth	8 - 3.00 x 4 smooth
REAR TIRES	13 - 4.00 x 6 turf	13 - 4.00 x 6 turf	13 - 4.00 x 6 turf
DECK MATERIAL	11 ga. Steel	11 ga. Steel	11 ga. Steel
CUT WIDTH	28	28	28
CUTTING HEIGHTS	1.5" - 4"	1.5" - 4"	1.5" - 4"
PTO	Manual	Manual	Manual
FUEL CAPACITY	2	2	2
ENGINE BRAND	B&S	B&S	Honda
ENGINE HP	10.5	10.5	10.7
FORWARD SPEED	3.55 mph	3.55 mph	3.55 mph
POWERED REVERSE	No	No	No
BLADES	2 - 14.5"	2 - 14.5"	2 - 14.5"
TRANSMISSION	3-Speed Forward	3-Speed Forward	3-Speed Forward

32" WALK BEHINDS

MODEL NUMBER	WY32X11BS	WY32X11BSE	WY32X11HD	WY32X11HDE
LENGTH	66.1"	66.1"	66.1"	66.1"
WIDTH	41.3"	41.3"	41.3"	41.3"
WIDTH W/ DEFLECTOR UP	32.8"	32.8"	32.8"	32.8"
WHEELBASE	31.8"	31.8"	31.8"	31.8"
WHEEL TRACK WIDTH	23.7"	23.7"	23.7"	23.7"
WEIGHT	333 lbs	366 lbs	349 lbs	433 lbs
FRONT TIRES	8 - 3.00 x 4 smooth	8 - 3.00 x 4 smooth	8 - 3.00 x 4 smooth	8 - 3.00 x 4 smooth
REAR TIRES	13 - 4.00 x 6 turf	13 - 4.00 x 6 turf	13 - 4.00 x 6 turf	13 - 4.00 x 6 turf
DECK MATERIAL	11 ga. Steel	11 ga. Steel	11 ga. Steel	11 ga. Steel
CUT WIDTH	32	32	32	32
CUTTING HEIGHTS	1.5" - 4"	1.5" - 4"	1.5" - 4"	1.5" - 4"
PTO	Manual	Manual	Manual	Manual
FUEL CAPACITY	2	2	2	2
ENGINE BRAND	B&S	B&S	Honda	Honda
ENGINE HP	10.5	10.5	10.7	10.7
FORWARD SPEED	3.55 mph	3.55 mph	3.55 mph	3.55 mph
POWERED REVERSE	No	No	No	No
BLADES	2 - 16.5"	2 - 16.5"	2 - 16.5"	2 - 16.5"
TRANSMISSION	3-Speed Forward	3-Speed Forward	3-Speed Forward	3-Speed Forward

BELT DRIVEN WALK BEHIND

FEATURES

- 3-year commercial and residential warranty
- Unique belt transmission system to guarantee long lifetime
- Stand-on sulky available
- Ergonomically designed hand grips, controls promote ease-of-use, and operator comfort
- Kawasaki FS Series



Walk Behind | Optional Stand-on Sulky

WYW MODELS





Right Side View

36" WALK BEHINDS

MODEL NUMBER	WYW36FS481V
LENGTH	73"
WIDTH	47"
WIDTH W/ DEFLECTOR UP	36.5"
WHEELBASE	35"
WHEEL TRACK WIDTH	28.5"
WEIGHT	452 lbs
FRONT TIRES	4.10 - 3.50 x 4 smooth
REAR TIRES	13 - 6.50 x 6 turf
DECK MATERIAL	10 ga. Steel
CUT WIDTH	36
CUTTING HEIGHTS	1" - 4"
PTO	Electric
FUEL CAPACITY	4
ENGINE BRAND	KAW
ENGINE HP	14.5
FORWARD SPEED	5 mph
POWERED REVERSE	Yes
BLADES	2 - 18"
TRANSMISSION	5-Speed Peerless w/ Reverse


48" WALK BEHINDS

MODEL NUMBER	WYW48FS481V
LENGTH	73"
WIDTH	59.5"
WIDTH W/ DEFLECTOR UP	49"
WHEELBASE	35"
WHEEL TRACK WIDTH	28.5"
WEIGHT	512 lbs
FRONT TIRES	4.10 - 3.50 x 4 smooth
REAR TIRES	13 - 6.50 x 6 turf
DECK MATERIAL	10 ga. Steel
CUT WIDTH	48
CUTTING HEIGHTS	1" - 4"
PTO	Electric
FUEL CAPACITY	4
ENGINE BRAND	KAW
ENGINE HP	14.5
FORWARD SPEED	5 mph
POWERED REVERSE	Yes
BLADES	3 - 16.25"
TRANSMISSION	5-Speed Peerless w/ Reverse

HYDRO DRIVEN WALK BEHIND

FEATURES

- Available with fixed or floating decks
- Long life, maintenance free spindles
- Dual pumps and wheel motors
- Side discharge, bag, or mulching capabilities
- Easy to operate controls
- Remote Discharge Control (RDC) standard on floating deck only
- Simple track-on-the-go adjustment (tool-less design)
- Kawasaki FS Series



Walk Behind | Remote Discharge Control
Float Deck Only

WYW MODELS

3YEAR
PARTS & LABOR
LIMITED
DECK 10
WARRANTY



36" AND 48" HYDRO FIXED DECK

MODEL NUMBER	WYW36FS481VH	WYW48FS481VH
LENGTH	73"	73"
WIDTH	47"	59.5"
WIDTH W/ DEFLECTOR UP	36.5"	49"
WHEELBASE	35"	41"
WHEEL TRACK WIDTH	28.5"	35"
WEIGHT	503 lbs	512 lbs
FRONT TIRES	4.10 - 3.50 x 4 smooth	4.10 - 3.50 x 4 smooth
REAR TIRES	16 - 6.50 x 8 turf	16 - 6.50 x 8 turf
DECK MATERIAL	10 ga. Steel	10 ga. Steel
CUT WIDTH	36	48
CUTTING HEIGHTS	1" - 4"	1" - 4"
PTO	Electric	Electric
FUEL CAPACITY	4	4
ENGINE BRAND	KAW	KAW
ENGINE HP	14.5	14.5
FORWARD SPEED	6.5 mph	6.5 mph
POWERED REVERSE	Yes	Yes
BLADES	2 - 18"	3 - 16.25"
TRANSMISSION	Hydro-Gear PE 10cc Pump	Hydro-Gear PE 10cc Pump
FINAL DRIVE	Parker TE0230 Motor	Parker TE0230 Motor

36" AND 48" HYDRO FLOATING DECK

MODEL NUMBER	WYW36FS481VHF	WYW48FS481VHF
LENGTH	73"	73"
WIDTH	47"	59.5"
WIDTH W/ DEFLECTOR UP	36.5"	49"
WHEELBASE	35"	41"
WHEEL TRACK WIDTH	28.5"	35"
WEIGHT	533 lbs	542 lbs
FRONT TIRES	4.10 - 3.50 x 4 smooth	4.10 - 3.50 x 4 smooth
REAR TIRES	16 - 6.50 x 8 turf	16 - 6.50 x 8 turf
DECK MATERIAL	10 ga. Steel	10 ga. Steel
CUT WIDTH	36	48
CUTTING HEIGHTS	1" - 4"	1" - 4"
PTO	Electric	Electric
FUEL CAPACITY	4	4
ENGINE BRAND	KAW	KAW
ENGINE HP	14.5	14.5
FORWARD SPEED	6.5 mph	6.5 mph
POWERED REVERSE	Yes	Yes
BLADES	2 - 18"	3 - 16.25"
TRANSMISSION	Hydro-Gear PE 10cc Pump	Hydro-Gear PE 10cc Pump
FINAL DRIVE	Parker TE0230 Motor	Parker TE0230 Motor

VIPER

FEATURES

- Fabricated steel deck with front reinforcement
- Hydro-Gear EZT transmissions on 46" mower
- 3-year residential warranty
- Hydro-Gear ZT-2800 transmissions on 50" and 60" mower
- Discharge, mulch, or collect



46" VIPER

MODEL NUMBER	WYZ46XP22LS	WYZ46XP20BS	WYZ46XP22KW
LENGTH	72"	72"	72"
WIDTH	55"	55"	55"
WIDTH W/ DEFLECTOR UP	47.5"	47.5"	47.5"
WHEELBASE	44"	44"	44"
WHEEL TRACK WIDTH	33.8"	33.8"	33.8"
WEIGHT	544 lbs	544 lbs	544 lbs
FRONT TIRES	11 - 4.00 x 5 smooth	11 - 4.00 x 5 smooth	11 - 4.00 x 5 smooth
REAR TIRES	18 - 9.5 x 8 turf	18 - 9.5 x 8 turf	18 - 9.5 x 8 turf
DECK MATERIAL	11 ga. Steel	11 ga. Steel	11 ga. Steel
CUT WIDTH	46	46	46
CUTTING HEIGHTS	1.5" - 4.5"	1.5" - 4.5"	1.5" - 4.5"
PTO	Electric	Electric	Electric
FUEL CAPACITY	4	4	4
ENGINE BRAND	Worldlawn	B&S	KAW
ENGINE HP	21.5	21.5	21.5
FORWARD SPEED	7 mph	7 mph	7 mph
POWERED REVERSE	Yes	Yes	Yes
BLADES	3 - 16"	3 - 16"	3 - 16"
TRANSMISSION	Hydro-Gear EZT	Hydro-Gear EZT	Hydro-Gear EZT

50" VIPER XP

MODEL NUMBER	WYZ50XP22LS	WYZ50XP26BS	WYZ50XP24KW
LENGTH	72"	72"	72"
WIDTH	59"	59"	59"
WIDTH W/ DEFLECTOR UP	51"	51"	51"
WHEELBASE	44"	44"	44"
WHEEL TRACK WIDTH	33.8"	33.8"	33.8"
WEIGHT	590 lbs	590 lbs	590 lbs
FRONT TIRES	13 - 5.00 x 6 smooth	13 - 5.00 x 6 smooth	13 - 5.00 x 6 smooth
REAR TIRES	20-10.00 X 8 Turf	20-10.00 X 8 Turf	20-10.00 X 8 Turf
DECK MATERIAL	11 ga. Steel	11 ga. Steel	11 ga. Steel
CUT WIDTH	50	50	50
CUTTING HEIGHTS	1.5" - 4.5"	1.5" - 4.5"	1.5" - 4.5"
PTO	Electric	Electric	Electric
FUEL CAPACITY	4	4	4
ENGINE BRAND	Worldlawn	B&S	KAW
ENGINE HP	21.5	26	23
FORWARD SPEED	7 mph	7 mph	7 mph
POWERED REVERSE	Yes	Yes	Yes
BLADES	3 - 17.3"	3 - 17.3"	3 - 17.3"
TRANSMISSION	Hydro-Gear ZT-2800	Hydro-Gear ZT-2800	Hydro-Gear ZT-2800

60" VIPER XP

MODEL NUMBER	WYZ60XP24LS	WYZ60XP26BS	WYZ60XP24KW
LENGTH	72"	72"	72"
WIDTH	68.5"	68.5"	68.5"
WIDTH W/ DEFLECTOR UP	61"	61"	61"
WHEELBASE	44"	44"	44"
WHEEL TRACK WIDTH	33.8"	33.8"	33.8"
WEIGHT	637 lbs	637 lbs	637 lbs
FRONT TIRES	13 - 5.00 x 6 smooth	13 - 5.00 x 6 smooth	13 - 5.00 x 6 smooth
REAR TIRES	20-10.00 X 8 Turf	20-10.00 X 8 Turf	20-10.00 X 8 Turf
DECK MATERIAL	11 ga. Steel	11 ga. Steel	11 ga. Steel
CUT WIDTH	60	60	60
CUTTING HEIGHTS	1.5" - 4.5"	1.5" - 4.5"	1.5" - 4.5"
PTO	Electric	Electric	Electric
FUEL CAPACITY	4	4	4
ENGINE BRAND	Worldlawn	B&S	KAW
ENGINE HP	24	26	23
FORWARD SPEED	7 mph	7 mph	7 mph
POWERED REVERSE	Yes	Yes	Yes
BLADES	3 - 20.5"	3 - 20.5"	3 - 20.5"
TRANSMISSION	Hydro-Gear ZT-2800	Hydro-Gear ZT-2800	Hydro-Gear ZT-2800

GATER

FEATURES

- 34" Deck to get through 36" gates
- 10 ga. fabricated floating steel deck reinforced with 7 ga. top plate and side skirts
- Hydro-Gear ZT-3100 Transmissions
- Small footprint to allow more on your trailer
- Discharge, mulch, or collect



34" GATER

MODEL NUMBER	WYZ34FS600V
LENGTH	73"
WIDTH	45"
WIDTH W/ DEFLECTOR UP	35"
WHEELBASE	43"
WHEEL TRACK WIDTH	33.5"
WEIGHT	770 lbs
FRONT TIRES	4.10 - 3.50 x 4 smooth
REAR TIRES	18 - 7.50 x 10 turf
DECK MATERIAL	7 ga. Steel
CUT WIDTH	34
CUTTING HEIGHTS	1" - 4.5"
PTO	Electric
FUEL CAPACITY	6
ENGINE BRAND	KAW
ENGINE HP	18
FORWARD SPEED	8 mph
POWERED REVERSE	Yes
BLADES	1 - 14.25", 1 - 20.25"
TRANSMISSION	Hydro-Gear ZT-3100



DIAMONDBACK

FEATURES

- 3200 Hydro-Gear transmissions
- R.O.P.S. standard
- Triple layer spindle support
- Discharge, mulch, or collect
- FR Kawasaki Series
- Worldlawn 803 V-Twin

3YEAR
PARTS & LABOR
LIMITED
DECK 10
WARRANTY



48", 52" AND 60" DIAMONDBACK

MODEL NUMBER	WYDB48LS2P82F32	WYDB52LS2P82F32	WYDB60LS2P82F32
LENGTH	77.4"	77.4"	77.4"
WIDTH	60"	65.5"	73"
WIDTH W/ DEFLECTOR UP	49"	53"	61"
WHEELBASE	50.5"	50.5"	50.5"
WHEEL TRACK WIDTH	47"	49.5"	49.5"
WEIGHT	920 lbs	950 lbs	1020 lbs
FRONT TIRES	13 - 5.00 x 6 smooth	13 - 6.50 x 6 smooth	13 - 6.50 x 6 smooth
REAR TIRES	23 - 9.50 x 12 turf	23 - 10.50 x 12 turf	23 - 10.50 x 12 turf
DECK MATERIAL	8 ga. Steel	8 ga. Steel	8 ga. Steel
CUT WIDTH	48	52	60
CUTTING HEIGHTS	1.5" - 4.75"	1.5" - 4.75"	1.5" - 4.75"
PTO	Electric	Electric	Electric
FUEL CAPACITY	9.5	9.5	9.5
ENGINE BRAND	Worldlawn V-Twin	Worldlawn V-Twin	Worldlawn V-Twin
ENGINE HP	24	24	24
FORWARD SPEED	9 mph	9 mph	9 mph
POWERED REVERSE	Yes	Yes	Yes
BLADES	3 - 16.25"	3 - 18"	3 - 20"
TRANSMISSION	Hydro-Gear ZT-3200	Hydro-Gear ZT-3200	Hydro-Gear ZT-3200

48", 52" AND 60" DIAMONDBACK

MODEL NUMBER	WYDB48FR691V32	WYDB52FR691V32	WYDB60FR730V32
LENGTH	77.4"	77.4"	77.4"
WIDTH	60"	65.5"	73"
WIDTH W/ DEFLECTOR UP	49"	53"	61"
WHEELBASE	50.5"	50.5"	50.5"
WHEEL TRACK WIDTH	47"	49.5"	49.5"
WEIGHT	920 lbs	950 lbs	1020 lbs
FRONT TIRES	13 - 5.00 x 6 smooth	13 - 6.50 x 6 smooth	13 - 6.50 x 6 smooth
REAR TIRES	23 - 9.50 x 12 turf	23 - 10.50 x 12 turf	23 - 10.50 x 12 turf
DECK MATERIAL	8 ga. Steel	8 ga. Steel	8 ga. Steel
CUT WIDTH	48	52	60
CUTTING HEIGHTS	1.5" - 4.75"	1.5" - 4.75"	1.5" - 4.75"
PTO	Electric	Electric	Electric
FUEL CAPACITY	9.5	9.5	9.5
ENGINE BRAND	KAW	KAW	KAW
ENGINE HP	23	23	24
FORWARD SPEED	9 mph	9 mph	9 mph
POWERED REVERSE	Yes	Yes	Yes
BLADES	3 - 16.25"	3 - 18"	3 - 20"
TRANSMISSION	Hydro-Gear ZT-3200	Hydro-Gear ZT-3200	Hydro-Gear ZT-3200

DIAMONDBACK XP

FEATURES

- 3400 Hydro-Gear transmissions
- R.O.P.S. standard
- Triple layer spindle support
- Discharge, mulch, or collect
- Mid Back Suspension Seat
- FX Kawasaki Series



52" DIAMONDBACK XP

MODEL NUMBER	WYDB52FX691V34P
LENGTH	77.4"
WIDTH	65.5"
WIDTH W/ DEFLECTOR UP	53"
WHEELBASE	50.5"
WHEEL TRACK WIDTH	49.5"
WEIGHT	950 lbs
FRONT TIRES	13 - 6.50 x 6 smooth
REAR TIRES	23 - 10.50 x 12 turf
DECK MATERIAL	8 ga. Steel
CUT WIDTH	52
CUTTING HEIGHTS	1.5" - 4.75"
PTO	Electric
FUEL CAPACITY	16
ENGINE BRAND	KAW
ENGINE HP	22
FORWARD SPEED	10 mph
POWERED REVERSE	Yes
BLADES	3 - 18"
TRANSMISSION	Hydro-Gear ZT-3400


60" DIAMONDBACK XP

MODEL NUMBER	WYDB60FX730V34P
LENGTH	77.4"
WIDTH	73"
WIDTH W/ DEFLECTOR UP	61"
WHEELBASE	50.5"
WHEEL TRACK WIDTH	49.5"
WEIGHT	1020 lbs
FRONT TIRES	13 - 6.50 x 6 smooth
REAR TIRES	23 - 10.50 x 12 turf
DECK MATERIAL	8 ga. Steel
CUT WIDTH	60
CUTTING HEIGHTS	1.5" - 4.75"
PTO	Electric
FUEL CAPACITY	16
ENGINE BRAND	KAW
ENGINE HP	23.5
FORWARD SPEED	10 mph
POWERED REVERSE	Yes
BLADES	3 - 20"
TRANSMISSION	Hydro-Gear ZT-3400

KING COBRA

FEATURES

- Kawasaki FX Series Engines
- Maintenance free sealed non-greasable spindles
- Single point height setting with four fine adjustments
- Suspension seat standard
- Triple laminate cutter housing mounting
- Hydro-Gear ZT-5400 transmissions
- Discharge, mulch, or collect
- 8 ga. steel deck
- Standard R.O.P.S.



King Cobra | Floating Foot Platform



52" AND 60" KING COBRA

MODEL NUMBER	WYK52FX801V5	WYK60FX850V5X
LENGTH	78"	79"
WIDTH	65"	73"
WIDTH W/ DEFLECTOR UP	53"	61"
WHEELBASE	50.5"	54.5"
WHEEL TRACK WIDTH	47"	50"
WEIGHT	1050 lbs	1110 lbs
FRONT TIRES	13 - 6.50 x 6 smooth	13 - 6.50 x 6 smooth
REAR TIRES	24 - 9.50 x 12 turf	24 - 12.50 x 12 turf
DECK MATERIAL	8 ga. Steel	8 ga. Steel
CUT WIDTH	52	60
CUTTING HEIGHTS	1" - 5.25"	1" - 5.25"
PTO	Electric	Electric
FUEL CAPACITY	14	14
ENGINE BRAND	KAW	KAW
ENGINE HP	25.5	27
FORWARD SPEED	12 mph	12 mph
POWERED REVERSE	Yes	Yes
BLADES	3 - 18"	3 - 20"
TRANSMISSION	Hydro-Gear ZT-5400	Hydro-Gear ZT-5400

60" KING COBRA

MODEL NUMBER	WYK60FX921V5S
LENGTH	79"
WIDTH	73"
WIDTH W/ DEFLECTOR UP	61"
WHEELBASE	54.5"
WHEEL TRACK WIDTH	50"
WEIGHT	1110 lbs
FRONT TIRES	13 - 6.50 x 6 smooth
REAR TIRES	24 - 12.50 x 12 turf
DECK MATERIAL	8 ga. Steel
CUT WIDTH	60
CUTTING HEIGHTS	1" - 5.25"
PTO	Electric
FUEL CAPACITY	14
ENGINE BRAND	KAW
ENGINE HP	31
FORWARD SPEED	12 mph
POWERED REVERSE	Yes
BLADES	3 - 20"
TRANSMISSION	Hydro-Gear ZT-5400


PYTHON

FEATURES

- Electric Deck Lift
- Articulating Front End
- Suspension Seat
- 1¼ receiver mounts on front and back
- Powered by: Kawasaki or B&S Vanguard BIG BLOCK 37 EFI
- Hydro-Gear ZT-5400
- Isolated Foot Platform
- Available in Rear or Side Discharge



Python | Control Panel



Python | Electric Deck Lift



72" PYTHON

MODEL NUMBER	WYP72FX1000V	WYP72BSV37EV5
LENGTH	91"	91"
WIDTH	86"	73"
WIDTH W/ DEFLECTOR UP	73"	73"
WHEELBASE	61"	61"
WHEEL TRACK WIDTH	49"	49"
WEIGHT	1550 lbs	1570 lbs
FRONT TIRES	13 - 6.50 x 6 smooth	13 - 6.50 x 6 smooth
REAR TIRES	26 - 12 x 12 turf	26 - 12 x 12 turf
DECK MATERIAL	8 ga. Steel	8 ga. Steel
CUT WIDTH	72	72
CUTTING HEIGHTS	1.5" - 5.5"	1.5" - 5.5"
PTO	Electric	Electric
FUEL CAPACITY	14	14
ENGINE BRAND	KAW	B&S
ENGINE HP	34	37
FORWARD SPEED	12 mph	12 mph
POWERED REVERSE	Yes	Yes
BLADES	3 - 24.5"	3 - 24.5"
TRANSMISSION	Hydro-Gear ZT-5400	Hydro-Gear ZT-5400


72" PYTHON REAR DISCHARGE

MODEL NUMBER	WYP72FX1000V5RD	WYP72BSV37EV5RD
LENGTH	91"	91"
WIDTH	86"	73"
WIDTH W/ DEFLECTOR UP	N/A	N/A
WHEELBASE	61"	61"
WHEEL TRACK WIDTH	49"	49"
WEIGHT	1550 lbs	1570 lbs
FRONT TIRES	13 - 6.50 x 6 smooth	13 - 6.50 x 6 smooth
REAR TIRES	26 - 12 x 12 turf	26 - 12 x 12 turf
DECK MATERIAL	8 ga. Steel	8 ga. Steel
CUT WIDTH	72	72
CUTTING HEIGHTS	1.5" - 5.5"	1.5" - 5.5"
PTO	Electric	Electric
FUEL CAPACITY	14	14
ENGINE BRAND	KAW	B&S
ENGINE HP	35	37
FORWARD SPEED	12 mph	12 mph
POWERED REVERSE	Yes	Yes
BLADES	3 - 24.5"	3 - 24.5"
TRANSMISSION	Hydro-Gear ZT-5400	Hydro-Gear ZT-5400

VENOM

FEATURES

- 8 ga. steel floating deck
- Walk or ride
- Powered by Kawasaki FX730V or FS600V Engines
- Remote Discharge Control (RDC) is an option on 32" and 36" models
- Fold up operator platform to convert to walk behind and allow more units on trailers
- Height adjustment knob for a precise cut



Venom | Kawasaki Engine



Venom | Control Panel



Venom | Operator Platform



Venom | Shown With Bagger

32" AND 36" VENOM

MODEL NUMBER	WYS32FS600VL	WYS36FS600VL
LENGTH	67.5"	67.5"
WIDTH	45"	48"
WIDTH W/ DEFLECTOR UP	37.4"	40"
WHEELBASE	31.5"	34.5"
WHEEL TRACK WIDTH	25"	26.5"
WEIGHT	690 lbs	700 lbs
FRONT TIRES	11 - 4.0 x 5 smooth	11 - 4.0 x 5 smooth
REAR TIRES	18 - 7.50 x 10 turf	18 - 8.50 x 10 turf
DECK MATERIAL	8 ga. Steel	8 ga. Steel
CUT WIDTH	32	36
CUTTING HEIGHTS	1.5" - 5"	1.5" - 5"
PTO	Electric	Electric
FUEL CAPACITY	4.5	4.5
ENGINE BRAND	KAW	KAW
ENGINE HP	18	18
FORWARD SPEED	8 mph	8 mph
POWERED REVERSE	Yes	Yes
BLADES	2 - 16"	2 - 18"
TRANSMISSION	Parker HTE	Parker HTE

48", 52" AND 60" VENOM

MODEL NUMBER	WYS48FX730VX	WYS52FX730VX	WYS60FX730VX
LENGTH	74"	74"	74"
WIDTH	60"	65.5"	73"
WIDTH W/ DEFLECTOR UP	49"	53"	61"
WHEELBASE	42.5"	45"	45"
WHEEL TRACK WIDTH	33"	34.75"	34.75"
WEIGHT	880 lbs	895 lbs	916 lbs
FRONT TIRES	13 - 5.0 x 6 smooth	13 - 6.50 x 6 smooth	13 - 6.50 x 6 smooth
REAR TIRES	22 - 10.0 x 10 turf	22 - 11.0 x 10 turf	22 - 11.0 x 10 turf
DECK MATERIAL	8 ga. Steel	8 ga. Steel	8 ga. Steel
CUT WIDTH	48	52	60
CUTTING HEIGHTS	1.5" - 5"	1.5" - 5"	1.5" - 5"
PTO	Electric	Electric	Electric
FUEL CAPACITY	8	8	8
ENGINE BRAND	KAW	KAW	KAW
ENGINE HP	23.5	23.5	23.5
FORWARD SPEED	10.5 mph	10.5 mph	10.5 mph
POWERED REVERSE	Yes	Yes	Yes
BLADES	3 - 16.25"	3 - 18"	3 - 20"
TRANSMISSION	Parker HTJ	Parker HTJ	Parker HTJ

SIDEWINDER

FEATURES

- Convenient single point hand-crank allows more precise cut height
- Adjustable tongue angle means you can offset the mower to the left or right
- Pivoting tongue to handle all types of terrain
- Rear Discharge
- B&S Commercial Turf Engine



SIDEWINDER

MODEL NUMBER	WYT72CT724RD
LENGTH	142"
WIDTH	73"
WIDTH W/ DEFLECTOR UP	N/A
WHEELBASE	51.5"
WHEEL TRACK WIDTH	46"
WEIGHT	810 lbs
FRONT TIRES	13 - 6.50 x 6 turf
REAR TIRES	13 - 6.50 x 6 turf
DECK MATERIAL	8 ga. Steel
CUT WIDTH	72
CUTTING HEIGHTS	1.5" - 5"
PTO	Electric
FUEL CAPACITY	4.5
ENGINE BRAND	B&S
ENGINE HP	22
FORWARD SPEED	N/A
POWERED REVERSE	No
BLADES	3 - 24.5"
TRANSMISSION	N/A





401 N COMMERCE STREET • PO BOX 888
BEATRICE, NE 68310

Part #943188
2500.03.23.V1.0